Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





SWAN RIVER NURSERY

Patchogue, L. I., N. Y.

1932

CONDITIONS OF SALE

The prices in this list cancel all prices in previous lists.

FIRST—The articles herein listed will be furnished at prices designated as per following schedule:

One to five plants of one kind will be charged for at the single rate, whatever the aggregate of a list made up in numbers of less than five plants of a specific sort may be.

Five to forty plants of one kind will be furnished at the ten rate.

Forty to 250 plants of one kind will be furnished at the 100 rate when 100 rates are given, except in the case of perennials, when 25 of one kind will be given at the 100 rate.

FROM THIS SCHEDULE WE WILL NOT VARY because of the fact that it takes considerable time to assemble a list of plants that are scattered over the nursery.

SECOND—We warrant our stock to be true to variety named, and will replace any that may prove otherwise or refund the original price, but beyond that, we assume no responsibility. We guarantee our trees and plants to be in good condition when shipped, but we do not guarantee that such stock will live and grow, as it is obviously impossible to control the aftercar or the weather conditions which may surround transplanted stock.

THIRD—We make no charge for packing retail orders to be sent by freight, express or parcel post, except on large evergreens and large shade trees.

FOURTH-Our terms are cash.

MOTOR TRUCK DELIVERY—We operate motor trucks of different sizes and therefore can offer unlimited delivery service on Long Island and nearby points, making only a charge to cover the actual cost of such service; this of course depending on the size of the order and whether a special trip is required. Where possible we combine small orders and proportion the charges among the persons served; this makes the service much cheaper. Trees that are dug today are delivered tomorrow.

If desired, we will send experienced men to plant the trees and shrubs, charging for such service at actual cost.

COMPLAINTS—We will gladly rectify mistakes in filling orders, provided we are notified immediately on receipt of goods.

SHIPPING SEASON—Our Spring shipping season begins about the 25th of March, and continues until the last of May. In the Fall we begin shipping in August and continue until the ground freezes up for Winter.

Respectfully yours,

SWAN RIVER NURSERY PATCHOGUE, L. I., N. Y.

GRACE A. AVERY, HUMPHREY R. AVER
Owner Manager

Telephone: Patchogue 1200

Practical Garden Books

Written by well-known authorities in a concise and lucid manner, handsomely printed, profusely illustrated and attractively bound in durable covers.

- THE BOOK OF ANNUALS—By Alfred C. Hottes. Over 100 separate species described with full directions for the culture and uses. 182 pages, 155 illustrations. Cloth, \$1.50.
- ALL ABOUT FLOWERING BULBS—By T. A. Weston. Written especially for the amateur, this book gives all the information the home gardener requires on the culture and flowering of bulbs of all seasons planted outdoors, as well as those that do well in the house. 184 pages, 8 full-page color plates. Cloth, \$2.00.
- A LITTLE BOOK OF CLIMBING PLANTS—By Alfred C. Hottes. Full information on climbers, ground-covers and creepers. 250 pages, 105 illustrations. Cloth, \$1.75.
- MODERN DAHLIA CULTURE—By Wm. H. Waite, the originator of "Jersey's Beauty" and other highly popular Dahlias. 132 pages with 32 illustrations (4 in color). Cloth, \$1.50.
- ADVENTURES IN DISH GARDENING—By Patten Beard. Tells how to make dish gardens with the use of living material and miniature figures. Illustrated with 65 halftones with their description on the opposite page. 4 color plates. 220 pages. Imi. lea., \$2.50.
- PRINCIPLES OF FLOWER ARRANGEMENT—By Prof. E. A. White. For all those who wish to display flowers to their fullest beauty in the home. 226 pages, 71 illustrations (6 in color). Imitation leather, \$3.00.
- GARDEN GUIDE—Each subject written by different experts. A veritable encyclopedia with information on all phases of gardening on the medium-sized place; flowers, fruits, vegetables, trees, shrubs, lawns, paths, rock gardens, water gardens, perennials, annuals, etc. 388 pages, 275 illustrations. Cloth, \$1.50.
- MILADY'S HOUSE PLANTS—By F. E. Palmer. Tells how to care for and raise all the house plants that succeed in the home. 176 pages, 96 illustrations. Cloth, \$1.25.
- PRACTICAL LANDSCAPE GARDENING—By Robert A. Gridland. Tells how to beautify and landscape your own home grounds. 280 pages with 260 illustrations, plans and sketches. Cloth, \$2.50.
- FOUNDATION PLANTING—By Leonard H. Johnson. A practical book for every home owner. Contains over 200 illustrations with plans and key to planting lists. Size 7½x10. 256 pages. Cloth, \$3.50.
- 1001 GARDEN QUESTIONS ANSWERED—By Alfred C. Hottes. Written in the popular form of questions and answers with full information on all gardening problems of the medium-sized home. 320 pages, 80 illustrations, Cloth, \$2.00.

Practical Garden Books

(Continued)

- THE BOOK OF PERENNIALS—By Alfred C. Hottes. How to successfully grow and enjoy over 125 species of our most popular and durable border plants. 280 pages, 103 illustrations. Cloth, \$1.50.
- ROCK GARDEN PRIMER—By Archie Thornton. Unusually complete information on the construction of rock gardens. Also gives care and culture of plants. 152 pages, 74 illustrations (4 in color). Imitation leather, \$2.00.
- BOOK OF SHRUBS—By Alfred C. Hottes. A complete, non-technical description of the common species and some of the uncommon with their characteristics, uses, soil, pruning and propagation. 446 pages, 187 illustrations. Cloth, \$3.00.
- WATER GARDENS AND GOLDFISH—By Sawyer and Perkins. Two closely related subjects treated under one cover. Small to medium pools. 112 pages, 59 illustrations. Cloth, \$1.50.
- THE WOMAN'S FLOWER GARDEN—By Jane L. Kift. Written by a practical woman gardener especially for women. The care and treatment of plants in the home and their cultivation outdoors. 160 pages, 15 illustrations. Cloth, \$1.25.
- PRACTICAL PEST CONTROL—By H. C. Tweedale. A 32 page illustrated pamphlet by an expert, experienced plantsman, telling in simple direct terms how to protect horticultural crops against injurious insects and diseases. Price 50c.
- LANDSCAPING THE SMALL HOME—By Edward W. Olver. Makes its direct appeal to the small home owner. 160 pages showing complete planting plans for the average small city or suburban home, as to the outdoor living room and home gardens. Price, cloth bound, \$2.00.
- FLOWERS OF THE WILD—By Frank C. Pellett. The author draws on his experience of many years, during which he hunted for hundreds of wild flowers and replanted them in his preserve. He gives full and explicit cultural directions for taking care of wild flowers in the home garden. 168 pages, 4 color plates. Price, \$2.00.

Include postage on all orders.

Write for free book catalog.

Suggestions for Planting

Preparing Holes

Dig the hole not less than 1 foot wider than the root area of the specimen it is to hold and from a foot to 2 feet in depth, according to the depth of its root system. If the soil is poor a few inches of rotted litter should be thrown into the bottom of the hole and dug in to the depth of 6 inches or more. If the soil at the bottom is hard, it should be broken up in a pulverized state to a depth of a foot or so.

Setting Tree

To prepare the tree for setting go over the root system carefully and cut all the broken or bruised portions of the roots with a clean, sharp knife or pruning shears. In setting the tree spread the roots out naturally so that they will not be twisted or crowded, then fill in gradually with fine soil, working it carefully under and about the roots, so that no holes or air spaces will be left. If it is a deciduous plant, shake the tree or shrub up and down so as to pack the soil layer by layer, carefully tramping it down until it is firmly packed about the roots. Continue this process until the hole is filled within 2 inches from the top. The remainder of the soil should be used in a way to form a small basin around the tree. This is to keep the water from running away when applied.

Mulching

In the Fall, place a mulch of dry leaves, hay or well rotted stable litter about the base of each tree. This mulch should be 6 inches deep and extend 2 to 3 feet beyond the natural spread of the roots.

Weight down with dirt, light slats or boards to prevent wind from blowing off during Winter. If well rotted straw, hay or stable litter has been used, spade in well around the base of each tree in the Spring. Any mulch that is of no value should be removed in early Spring as soon as the frost is out of the ground.

Watering

When dry weather comes on in the latter part of June, July, August and early September, it will be necessary to water newly planted evergreens, especially for the first two or three years after transplanting. A thorough watering twice a week is far more beneficial than a daily sprinkling of the topsoil.

Cultivation

Don't wait for your evergreens to begin to show signs of suffering before you start cultivation. Start keeping the soil stirred up immediately after planting. Frequent cultivation is the secret of moisture conservation. The ground must be kept loose and mellow by cultivating weekly.

Evergreens and Conifers

Evergreens are used in many ways, some of which are as follows: Specimens on a lawn, foundation plantings around houses, windbreaks, hedges and as screens for objectionable objects.

Our evergreens are thrifty, well-rooted and have been several times transplanted.

All evergreens will be balled and burlapped without charge.

We recommend planting during April, May and June, August, September and October.

August, September and October.		
	Each	Per 10
ABIES Concolor (White Fir). Tall tre	e. Blui	sh-green
needles and symmetrical growth.	Used fo	r speci-
men or group.		•
*2 to 2½ ft		\$40.00
*2½ to 3 ft	6.00	55.00
* 3 to 4 ft	7.50	67.50
т ю / п.	11.00	
7 10 0 11:	15.00 20.00	
* 6 to 7 ft. specimens * 7 to 8 ft. specimens	25.00	
* 8 to 9 ft. specimens	30.00	
* 9 to 10 ft. specimens	35.00	
*10 to 15 ft. specimens \$50.00 to	100.00	
*15 to 20 ft. specimens \$75.00 to	100.00	
*20 to 25 ft. specimens \$150.00 to	200.00	
A. homolepsis (Nikko Fir). Has dark	araan la	was sil.
very white on the lower surface, wi		
2 to 2½ ft	4.00	36.00
2½ to 3 ft	5.00	45.00
*3 to 3½ ft	6.00	55.00
A. nordmanniana (Nordmann Fir) growing. Dark, glossy green foli specimen.	Tall tre age. U	e, slow sed for
* 2 to 2½ ft	3.50	
* 2½ to 3 ft	4.00	
.) 10 4 11	6.00	
* 4 to 5 ft * 5 to 6 ft	10.00 17.00	
* 6 to 7 ft	25.00	
* 7 to 8 ft	35.00	
* 8 to 10 ft	50.00	
A. veitchi (Veitch Fir). Tall, symmetric dark green above, silvery beneath.	al tree. Used fo	Foliage r speci-
men.		
2 to 2½ ft	3.50	32.50
2½ to 3 ft* 3 to 4 ft	4.50	42.50
* 3 to 4 ft * 4 to 5 ft	6.00 9.00	
* 5 to 6 ft	12.00	
* 6 to 8 ft	18.00	
* 8 to 10 ft	30.00	
*10 to 12 ft	40.00	
*12 to 16 ft	50.00	
BUXUS (Boxwood). See Evergreen Sh	rubs.	
CEDRUS atlantica glauca (Blue Atlas C	edar). I	Medium
tree of open growth. Fine steel-blu	e needles	. Used

50.00

as specimen. *12 to 16 ft..

CEDRUS—Continued

CEDICOS—Continued		
	Each 1	Per 10
C. deodora (Deodar Cedar). Gr	acerui pe	ndulus
branches of silver gray foliage.		04.75
2 to 3 ft		24.75
3 to 4 ft	4.50	40.00
	1 1 1	£ - 1:
C. libani (Lebanon Cedar). Dark or lage; horizontal branches forming	oluisn gree	n ron-
age; horizontal branches forming	broad hea	a.
2 to 3 ft	_ 2.00	47.00
3 to 4 ft,		54.00
4 to 5 ft	7.00	
CHAMAECYPARIS lawsoniana alun	ini (Scara	ь Су-
press). Pyramidal tree, silvery b	olue foliage	e, very
distinct.		
18 to 24 in	2.00	17.50
2 to 2½ ft		22.50
2½ to 3 ft		31.50
3 to 3½ ft		
	-	
C. obtusa (Hinoki Cypress). Medium s	ize, slow-gi	rowing.
Rich, dark green, fern-like foliage	. Forms be	autiful
Mich, dark green, fern ince remage		
specimen. 18 to 24 in	1.75	15.00
		22.50
2 to 2½ ft		32.50
2½ to 3 ft	-	
3 to 3½ ft		42.50
3½ to 4 ft	6.00	55.00
4 to 4½ ft		70.00
4½ to 5 ft	10.00	90.00
* 5 to 6 ft	15.00	
* 6 to 7 ft		
* 7 to 8 ft		
* 8 to 10 ft		
C. obtusa compacta (Football Cypre	ess). Very	y slow,
compact grower, Pyramidal.		
18 to 24 in	2.50	22.50
2 to 2½ ft	3.50	30.00
2½ to 3 ft		40.00
3 to 3½ ft		55.00
3½ to 4 ft		75.00
		90.00
* 4½ to 5 ft	12.00	
C. obtusa crippsi (Cripps Golden C	voress).	A slow
growing golden leaved form. Br	ight vellow	at all
growing golden leaved form. Di	igni yene	
seasons.	4.00	
*18 to 24 in		
* 2 to 2½ ft	7.70	
* 2½ to 3 ft	7.00	
* 3 to 3½ ft		
* 3½ to 4 ft	12.00	
0 to 0 0 0 TO 0		ompact
C. obtusa nana (Dwarf Hinoki Cy	press).	
dwarf, forming dense, irregular	mass.	Suitable
for rock garden.		25.50
*10 to 12 in		37.50
*12 to 15 in	6.00	57.50
*15 to 18 in		67.50
*18 to 24 in		85.00
*24 to 30 in	15.00	
*30 to 36 in		
, v		

CHAMAECYPARIS—Continued

		_	1 1711	11 120		AILL	JCOI	101111	ieu	
										Per 10
C.	pisifera	ı (S	awar	a Cyp	res	s). Q	uick g	rowi	ng, py	ramidal.
	Broad	d, f	lat fo	liage	of	deep	, glossy	gre	en.	
	1 1/2		2						1.50	13.00
	2	to	$2\frac{1}{2}$						1.85	15.00
	21/2	to	3 3½						2.75	22.50
	3 3½	to	<i>3 7/2</i> 4						3.50 4.00	30.00 36.00
	4	to	5						6.00	55.00
	5	to	6						9.00	85.00
	*6	to	7						12.00	110.00
	*14	to	16	-					35.00	
								_		D . 1
C.	pisifer		aurea				wara .			Bright
	1 1/2	to	onage 2				e as pi		a. 1.50	13.50
	2	to	21/2						2.00	18.00
	21/2	to	3	-					3.00	27.00
	3	to	$\frac{3}{1/2}$						3.50	32.00
	31/2	to	4						4.50	40.00
	4	to	5						6.00	55.00
	*5	to	6						9.00	85.00
	*6	to	7						12.00	
C										L
C.	pisifera	TO 111	Lon	o etr	ino	i Ket Iiko	droop	ino	branc	ht green
	11/2	to.	2	ft.	6	т.к.,		1116	2.25	20.00
	2	to	2 1/2						3.50	33.00
	21/2	to	3						4.50	42.00
	3	to	31/2						5.50	50.00
	3 1/2	to	4						6.50	60.00
	4	to	4 1/2						8.00	75.00
	*41/2	to	5						10.00	
	*5	to	6						12.00	
	*6	to	7	ft					15.00	
C.	pisifer	a fi	lifera	aure	a	(Gold	den-thr	ead	Retin	ospora).
٠.							ge. Slo			
	11/2	ft						6	4.50	40.00
									6.00	
C.	nicifor		nlum	nen (D1	ma	Retinos	nor	۱ ۱	Forms a
٠.	dense	a j	ne c	of fin	e t	extur	e. Us	eful	for	shearing
				hapes						
	$1\frac{1}{2}$	to		f t					1.50	12.50
	2	to	$2\frac{1}{2}$	ft					1.75	15.75
	21/2	to	3	ft					2.50	22.75
	3	to	$3\frac{1}{2}$	ft					3.50	30.00
	$3\frac{1}{2}$	to	4	ft					4.00	35.00
	4	to	5	ft					6.00	55.00
	5	to	6	ft					9.00	85.00
	6	to	8	ft					15.00	140.00
C.	pisifer	a 1	plume	osa a	ure	a (C	Golden	Plu	ıme (Cypress).
		e m	ass o	of yell	low	folia	age.			
	18	to	24	in					1.75	15.00
	2	to	$2\frac{1}{2}$						2.50	22.50
	$2\frac{1}{2}$	to	3						3.50	30.00
	3	to	$3\frac{1}{2}$						5.00	45.00
	3 1/2	to	4	_					7.00	65.00
	4	to	5						9.00	85.00
	5	to	6						12.00	
	10	to	12	ft			40.00	to	50.00	
	12	to	14	ft			_50.00	to	75.00	

CHAMAECYPARIS—Continued

CHAMAEC I PARIS—Conti	nued	
	Each	Per 10
C =1:161 1 (C.1.1		
C. pisifera plumosa lutescens (Sulphus		
Retinospora) Low, dwarf, roun	a-toppea	busn.
Yellow-tipped branches.		
12 to 15 in	1.50	13.50
15 to 18 in.	2.00	17.50
1½ to 2 ft	2.50	22.50
2 to 2½ ft	3.50	30.00
*2½ to 3 ft	5.00	40.00
*3 to 3½ ft	7.50	70.00
*3½ to 4 ft	10.00	-
*4 to 5 ft	15.00	
C. pisifera squarrosa sulphurea (Sulphur spora).	colored	Retino-
1½ to 2 ft	2.25	
2 to 2½ ft	3.50	
2 00 2/2 100	2.70	
C. pisifera squarrosa veitchi (Moss Retinage blue-gray, feathery and dense.		Foli-
1½ to 2 ft	2.00	18.00
2 to 2½ ft	2.75	25.00
2½ to 3 ft	4.00	
3 to 3½ ft	6.00	
*3½ to 4 ft	7.00	
C. triomphe de Boskoop (Triomphe de press). Blue-green foliage. Slight Used as specimen.	htly pen	dulous.
T/2 to / It	8.00	75.00
* 5 to 5½ ft * 5½ to 6 ft	10.00	
7/2 to 0 1t	15.00	
* 6 to 7 ft	18.00	
* 7 to 8 ft	20.00	
0 10 9 11	25.00	
* 9 to 10 ft	35.00	
*10 to 15 ft. specimen	150.00	
CRYPTOMERIA japonica compacta (Ja Large tree, forming narrow, irre Compact and picturesque. Rich, color.	apanese (egular o bronze	Cedar). olumn. Winter
* 2½ to 3 ft	4.00	36.00
4/2 10 / 11	4.00 6.00	55.00
7 10 4 10		
т ю / п	7.50	67.50
) to 0 1t	10.00	90.00
0 00 / 10,	14.00	
* 7 to 8 ft	20.00	
CUPRESSUS goveniana glauca (Blue C Tall tree with slender spreading br ish-green foliage. Used as specimen	iowen Cy anches. n.	press). Gray-
3 to 4 ft	4.00	35.00
4 to 5 ft	6.00	55.00
5 to 6 ft	8.00	75.00
6 to 7 ft	10.50	102.50
7 to 8 ft	12.00	117.50
, , , , , , , , , , , , , , , , , , , ,	00	,.,0

		Each	Per 10
JUNIPERUS chir	nensis (Chinese Ju	niper).	Formal
columnar type	, having gray-green	foliage.	
	n		27.50
2 to $2\frac{1}{2}$	ft		30.00
	ft		35.00
3 to $3\frac{1}{2}$	ft		55.00
	ft		70.00
	ft		85.00
	ft c.		110.00
6 to 7 :	ft	_ 15.00	
J. chinensis alba v	ariegata (White Le	af Chine	se Juni-
per). Symmet	trical low growing e ersed with creamy b	vergreen.	Bluish
foliage intersp	ersed with creamy b	ranches.	
18 to 24 i	n	2.25	20.00
	ft	3.00	25.00
$2\frac{1}{2}$ to 3	ft	4.50	40.00
3 to $3\frac{1}{2}$	ft	5.50	47.50
$3\frac{1}{2}$ to 4	ft	6.50	
	(DC T :	\ D	
J. chinensis phizeri	ana (Pfitzer Juniper). Broad	l, bushy
habit, with hor	rizontally spreading One of the best do	branches.	Gray-
green foliage.	One of the best di	vart torm	1S.
	n		22.50
	ft		30.00
	ft		45.00
	ft		63.00
	t		80.00
	[t		130.00
	ft		160.00
6 to 7 f	ft,	25.00	
J. chinensis colum	naris (Columnar C	hinese J	uniper).
Very rapid gro	wing spire-like ever	green.	• ′
			75.00
5 to 6 ft		10.00	95.00
6 to 7 ft		12.50	115.00
7 to 8 ft			135.00
8 to 9 ft		20.00	
9 to 10 ft		25.00	
I chinancia famina	(Reeves Juniper).	Slander	spread-
ing branches	Low growing type.	Diender	spread
$2\frac{1}{2}$ to 3	t	6.50	57.50
3 to $3\frac{1}{2}$ f	t	8.50	77.50
	t		110.00
- / -			
J. chinensis fortune	ei. A broad irregul	ar pyram	iid with
attractive gray	green foliage.	2.50	22.00
$\frac{2}{2}$ to $\frac{2}{2}$ to	t	3.50	33.00
	t		40.00
	t		50.00
	t		60.00
	t		77.50
	t		110.00
, .	t		
J. chinensis sargen	ti (Sargent Juniper). A p	rostrate
	long, creeping bran		
			27.00
			36.00
			45.00
2 to $2\frac{1}{2}$ ft		6.00	

JUNIPERUS—Continued

·	Each	Per 10
J. communis (Common Juniper). Low,		
form. Gray-green foliage.	,	
15 to 18 in	1.50	13.50
18 to 24 in.	2.25	20.00
2 to 2½ ft	2.75	25.00
$2\frac{1}{2}$ to 3 ft	3.50	30.00
3 to 4 ft	5.00	45.00
4 to 5 ft	7.50	
J. communis aurea (Douglas Golden spreading type. Bright golden fol	Juniper). iage.	Low-
18 to 24 in	2.50	
2 to 2½ ft	3.50	
$2\frac{1}{2}$ to 3 ft	4.50	
3 to 3½ ft	6.00	
J. communis depressa (Common Spreading type with light bluish for		niper).
18 to 24 in.		
2 to 2½ ft		25.00
		33.00
		40.00
		47.50
4 to $4\frac{1}{2}$ ft	_ 6.50	
J. communis hibernica (Irish Juniper). pyramid of spire-like effect.		
$1\frac{1}{2}$ to 2 ft	_ 1.50	13.50
2 to 2½ ft	_ 1.75	15.75
$2\frac{1}{2}$ to 3 ft	2.00	18.00
3 to 4 ft	3.00	27.50
4 to 5 ft	4.50	40.00
5 to 6 ft	_ 6.00	
J. communis oblonga. Evergreen of growth. Grayish foliage.	broad in	regular
18 to 24 in	2.75	25.00
2 to 2½ ft		35.00
$2\frac{1}{2}$ to 3 ft		40.00
3 to 3½ ft		54.00
3½ to 4 ft		70.00
J. communis suecica nana (Swedish Ju		Medium
size, quick growing, narrow, uprig	the form	·icaram
15 to 18 in		15.00
18 to 24 in		18.50
2 to $2\frac{1}{2}$ ft.		27.00
2½ to 3 ft	3.75	35.00
J. excelsa stricta (Spiny Greek Cedar)		
shaped pyramid. Foliage gray-gre	en.	
15 to 18 in.	1.75	15.50
18 to 24 in	3.00	27.00
2 to 2½ ft	4.00	35.00
$2\frac{1}{2}$ to 3 ft	5.00	
J. japonica (Japanese Juniper). Glob growing spreading type. Dark gr	e trimmed	
12 to 15 in		18.00
		20.00
		25.00
2 to 2½ ft	4.50	40.00
$2\frac{1}{2}$ to 3 ft	6.00	

JUNIPERUS—Continued

	•			
				h Per 10
J.	japonica aurea (Golden	Japan	ese Junipe	r). Low,
	slow-growing, spreading	g plant.	Golden-t	inted foli-
	age.			
	18 to 24 in		3.0	0
	2 to 2½ ft			
	2½ to 3 ft		5.0	0
T.	sabina (Savin Juniper).	Dense	dark gree	n foliage
٠.	irregular spreading bra	nches	dark gree	ii Tomage,
			2 5	0 2250
	18 to 24 in 2 to 2½ ft		2.5 3.5	
	2½ to 3 ft			
	3 to 4 ft			
	J 10 + 11		0.0	0 74.00
_				
J.	squamata meyeri (Meye	r Junip	er). Upr	ight ever-
	green shrub. Very de	nse hab	oit. Hand	some blue
	foliage.			
	12 to 15 in			
	15 to 18 in			
	18 to 24 in			
	2 to 2½ ft		7.0	0 65.0 0
T	:::	T 11	1 1 1	TT. (1 ·
J.	virginiana (Red Cedar).	I all an	d slender.	Oserul in
	formal plantings. * 2 to 3 ft. sheared	:	25	0 22.50
	* 3 to 4 ft. "	specime.		
	* 4 to 5 ft. "	**		
	* 5 to 6 ft. "	**		
	* 6 to 7 ft. "	tt		
	* 7 to 8 ft. "	**	100	
	* 8 to 9 ft. "	ee	15.0	
	* 9 to 10 ft. "	ee	20.0	
	*10 to 12 ft. "	ee	30.0	
	*12 to 14 ft. "	**	35.0	
	*14 to 16 ft. "	**	40.0	
	1. 00 10 10			
J.	virginiana albospicata (V	Whitetip	Redcedar)	. Tips of
•	branches white. Medi			-
	2 to 2½ ft		5.0	0
	2½ to 3 ft		6.0	00
_		_	- 4 \	
J.	virginiana cannarti (Cannart	Cedar).	Medium
	height, dense growing,	column	ar form tr	ee. Deep
	rich green foliage.		6.0	54.00
	*3 to 4 ft			
	*4 to 5 ft*5 to 6 ft			
	*7 to 8 ft *8 to 10 ft			
	6 to 10 ft		50.0	
T.	virginiana elegantissimi	(Goldtir	Redcedar). Bright
٠.	yellow-tipped branches.	Bronz	e in Winte	er.
	*3 to 4 ft		7.0	
	*4 to 5 ft			
	*6 to 7 ft			
	*7 to 8 ft			
	*8 to 9 ft			
	*9 to 10 ft		35.0	00

JUNIPERUS—Continued

		Each	Per 10
J.	virginiana glauca (Silver Redcedar).	Form	s dense
•	column. Bluish-gray foliage. Used	as spec	imen.
	2 to 3 ft	4.00	
	3 to 4 ft	6.00	54.00
	* 4 to 5 ft	7.50	67.50
	* 5 to 6 ft	9.00	81.00
	* 6 to 7 ft	12.00	109.00
	* 7 to 8 ft	17.00	
	* 8 to 9 ft	24.00	
	* 9 to 10 ft.	32.00	
	*10 to 12 ft	40.00	
	*12 to 14 ft	50.00	
J.	virginiana Keteleeri. Upright, colum pact and formal. Deep green folia 4 to 5 ft	nar tre ge. 9.00 12.00	85.00 110.00
	6 to 7 ft	15.00	140.00
	7 to 8 ft	18.00	
PI	CEA canadensis (White Spruce). symmetrical growth. Dense, silvery 1½ to 2 ft	Large foliage. 1.50	tree of
	2 to 2½ ft	2.25	20.00
	2½ to 3 ft	3.00	25.00
	3 to 4 ft	4.00	35.00
	4 to 5 ft	5.50	50.00
	*20 to 25 ft. specimens75.00 to	100.00	
P.	engelmani (Engelmann Spruce). B	road py	ramidal
	form with soft gray-green foliage.		
	2 to 2½ ft	4.50	40.00
	2½ to 3 ft	5.50	
	3 to 3½ ft	6.50	
D	1 (NI C) I		
P.	excelsa (Norway Spruce). Large	tree o	f rapid
	growth. Dark green foliage. Excel	1.10	nabreak.
	1½ to 2 ft	1.50	13.50
	2½ to 3 ft	2.00	18.00
	3 to 4 ft	3.00	27.00
	4 to 5 ft	4.50	40.00
	5 to 6 ft	6.00	
	* 6 to 7 ft	8.00	
	* 7 to 8 ft	10.00	
	* 8 to 10 ft	18.00	
	*10 to 12 ft	25.00	
	*12 to 14 ft	30.00	
	*14 to 16 ft	35.00	
	Large specimens 50.00 to	150.00	
P.	excelsa aurea (Golden Norway Spr golden yellow. Likes partial shade.		Leaves a
P.	golden yellow. Likes partial shade.	4.50	Leaves a
P.	golden yellow. Likes partial shade. *2 to 2½ ft* *2½ to 3 ft*	4.50 6.00	Leaves a
P.	golden yellow. Likes partial shade. *2 to 2½ ft	4.50 6.00 7.00	Leaves a
P.	golden yellow. Likes partial shade. *2 to 2½ ft	4.50 6.00 7.00 8 .00	a
P.	golden yellow. Likes partial shade. *2 to 2½ ft	4.50 6.00 7.00	a

PICEA-Continued

	Fach	Per 10
P. excelsa conica (Arrowhead Norway S	neuca)	A com-
pact, symmetrical type. Very slow 12½ to 3 ft	growing.	. Com-
*2½ to 3 ft	8.00	
*3 to 3½ ft *3½ to 4 ft	10.00	
*3½ to 4 ft	12.00	
P. excelsa maxwelli (Maxwell Spruce). pact, dwarf. Very formal.		l, com-
*15 to 18 in	15.00	
*18 to 24 in	20.00	
*2½ to 3 ft*3 to 3½ ft*	30.00 35.00	
10 372 11	37.00	
P. excelsa pendula (Weeping Norway S teresting and unique type, hi branches.		An in- nverted
*18 to 24 in*2 to 2½ ft*2	3.50	
*2 to 2½ ft*2½ to 3 ft	4.50 5.50	
*3 to 4 ft	6.50	
*4 to 5 ft	7.50	
P. excelsa pyramidalis (Pyramidal No The very erect branches form a na *3 to 4 ft* *4 to 5 ft* *5 to 6 ft*	8.00 8.00 10.00 12.00	pruce). yramid.
P. excelsa pigmea (Pigmy Norway Sp slow growing evergreen. *18 to 21 in	8.00	Dwarf,
*21 to 24 in	10.00	
P. excelsa remonti (Remont Spruce). Norway Spruce. Dense, formal grov	vth.	orm of
*2 to $2\frac{1}{2}$ ft*2\frac{1}{2} to 3 ft	15.00	
*3 to 3½ ft	20.00	
*3½ to 4 ft	25.00	
P. glauca conica (Dwarf Elberta Spruc	ce). Ver	y com-
pact, slow growing type. *12 to 15 in	3.50	33.00
*15 to 18 in	4.50	40.00
*18 to 24 in	8.00	72.00
*24 to 30 in	12.00 15.00	
*30 to 36 in		dense,
narrow habit Very hardy		
*18 to 24 in	2.50	
*2 to 2½ ft	3.50	32.50
*2½ to 3 ft	4.50	
P. orientalis (Oriental Spruce). Medium tree. Dark green foliage. Slow grov	ver.	ramidal
* 5 to 6 ft		
0 10 / 11		
* 7 to 8 ft * 8 to 10 ft	45.00	
*10 to 12 ft	60.00	

PICEA—Continued Each Per 10 P. polita (Tigertail Spruce). Light green, spiky foli-

	age. Useful as specimen.		
	*3 to 4 ft	8.00	
	*4 to 5 ft	11.00	
	*5 to 6 ft	15.00	
	*6 to 7 ft	25.00	
	*7 to 8 ft	30.00	
D	pungens (Colorado Spruca) Symme	reical e	ran for

P. pungens (Colorado Spruce). Symmetrical tree specimen or windbreak. Foliage light green.

2	to	21/2	ft	3.00	27.00
$2\frac{1}{2}$	to	3	ft	4.00	35.00
3	to		ft	5.50	50.00
*4	to	5	ft	8.00	75.00
*5	to	6	ft	12.00	
* ~		**7	£.	15 00	

ft.____ P. pungens glauca (Colorado Blue Spruce). Symmetri-

cal	tree	tor	specimen. Blue foliage.		
12	to	15	in	2.00	18.00
15	to	18	in	2.50	22.50
18	to	24	in	3.50	31.50
2	to	21/2	ft	5.00	45.00
21/	2 to	3	ft	6.00	55.00
*3	to	3 1/2	ft	8.00	75.00
*31/	2 to	4	ft	10.00	95.00
			C.	12.00	

*4 to 5 ft..... P. pungens kosteri (Koster Blue Spruce). Silvery-blue foliage, giving distinct color tone.

~18	to	44	ın	8.00	
* 2	to	$2\frac{1}{2}$	ft	11.00	
* 21/2	to	3	ft	14.00	
* 3	to	$3\frac{1}{2}$	ft	18.00	
* 31/2	to	4	ft	22.00	
* 4	to	$4\frac{1}{2}$	ft	25.00	
* 4 1/2	to	5	ft	30.00	
* 5	to	6	ft	35.00	
* 6	to	7	ft	37.50	
* 7	to	8	ft	45.00	
* 8	to	10	ft\$50.00 to	100.00	
*10	to	15	ft100.00 to	200.00	
*15	to	20	ft200.00 to	250.00	

P. pungens kosteri pendula (Koster Weeping Spruce). Very drooping type of Koster Blue Spruce.

;	*	$4\frac{1}{2}$	to	5	ft				36.00	
•)	to	6	ft				40.00	
	*	6	to	7	ft				45.00	
		7	to	8	ft				50.00	
		8	to	10	ft				60.00	
>	* 1	0	to	12	ft				75.00	
JV	J	S cer	mbra	a (S	Swiss	Stone	Pine).	Slow	growing	coni-

PIN

cai tre	ee. I	l nin	biuish	green	needles.		
*18	to	24	in			6.00	
* 2	to	$2\frac{1}{2}$	f t			8.00	
* 21/2	to	3	ft			10.00	
* 3	to	$3\frac{1}{2}$	ft			12.00	
* 3 1/2	to	4	ft			14.00	
* 4	to	$4\frac{1}{2}$	ft			16.00	
* 41/2	to	5	ft			18.00	
* 5	to	6	fr			20.00	

ft.____ 25.00 8 30.00 to 35.00

PINUS-Continued

		Each	Per 10
P.	montana mughus (Mugho Pine).	Slow	growing,
	symmetrical, dwarf. Foliage dark	green.	
	15 to 18 in	2.00	18.00
	$1\frac{1}{2}$ to 2 ft		27.00
	2 to 2½ ft		40.00
	$2\frac{1}{2}$ to 3 ft	5.50	49.50
	3 to 3½ ft		72.00
	3½ to 4 ft	12.00	110.00
	4 to $4\frac{1}{2}$ ft	15.00	
_			
Р.	nigra (Austrian Pine). Vigorous,		
	tree. Foliage glossy, dark green. G	ood for	seashore
	planting.		
	2 to 2½ ft. sheared		
	2 ½ to 3 It		
) to 4 It		
	4 10 / 11.		
	5 to 6 ft		
	*6 to 7 ft		
	*7 to 8 ft		
	*Large specimens\$35.00 t	o 50.00	
Ρ.	resinosa (Red Pine). Vigorous, s		aal +maa
г.		brown b	cal tree.
	Long, rich green needles, reddish 1 2 to 3 ft		
	2 to 3 ft		
	4 to 5 ft		
			140.00
			140.00
			-
	10 to 12 ft		
	12 to 14 ft	50.00	-
P. S	Strobus (White Pine). Tall, straigh	t tree w	ith blue-
- 7 -	tinted foliage. Group or screen p	lanting.	
	2½ to 3 ft. sheared		22.50
	3 to 3½ ft. "	3.00	27.00
	*3½ to 4 ft. "	4.00	36.00
	4 to 5 ft. "	5.00	40.00
	5 to 6 ft. "	7.00	63.00
	*6 to 7 ft. "	9.00	81.00
	*7 to 8 ft	12.00	110.00
	*8 to 10 ft	18.00	
	10 to 12 ft	27.00	
	12 to 14 ft	40.00	
_			
P. s	ylvestris (Sotch Pine). Hardy, quick	growin	g screen
	tree. Short blue-green twisted nee	dies. So	creen or
	specimen.	2.25	20.00
	*2½ to 3 ft. sheared	2.25	20.00
	7) 10 4 11.	3.00	27.00
	7 10 / 11	4.50	40.00
	5 to 6 ft	7.00	63.00
	6 to 7 ft	9.00	81.00
	7 to 8 ft	12.00	115.00
Р.	tanyosho (Japanese Table Pine).	Low	growing
	round, symmetrical type. Used as		
	18 to 24 in		62.50
	2 to 2½ ft	9.00	
	*Specimens\$50.00 to		
	-r	1. 0.00	

PINUS—Continued

PINOS—Continued		
	Each	Per 10
P. thunbergi (Japanese Black Pine). I		
shore, sandy, or windswept situati	one	ioi sea-
2 to 2½ ft	2.75	24.75
2½ to 3 ft		36.00
3 to 4 ft		49.50
PSEUDOTSUGA douglasi (Douglas tree of dense, graceful habit.	Fir). Py	ramidal
2 to 3 ft	2.50	22.50
3 to 4 ft	3.50	31.50
*4 to 5 ft	6.00	54.00
*5 to 6 ft	7.50	67.50
*6 to 8 ft	10.00	
*8 to 10 ft	20.00	
SCIADOPITYS verticillata. (Umbre		
growing Japanese tree. Pyramid	lal with	unusual
dark green needles. Used as spec	ımen.	
*15 to 18 in		
*1½ to 2 ft*2 to 2½ ft*2		
*2 to 2½ ft	10.00	
*2½ to 3 ft*3 to 4 ft. specimens	14.00	
*3 to 4 ft. specimens *4 to 5 ft. specimens	18.00	
*4 to 5 ft. specimens *5 to 6 ft. specimens	25.00	
*2½ to 3 ft. *3 to 4 ft. specimens. *4 to 5 ft. specimens. *5 to 6 ft. specimens. *6 to 7 ft. specimens.	40.00	
to / it. specimens	40.00	
TAXUS baccata dovastoni aureovarieg vaston Yew). Low-growing, spre drooping at the end. Short gree gated with yellow.	eading bi en needle	anches,
*18 to 24 in	5.00	
*2 to 2½ ft		67.50
*2½ to 3 ft		85.00
*3 to 3½ ft	12.00	
T. baccata elegantissima (Variegated)Compact, symmetrical type. For variegated.	oliage clo	Yew). se and
*18 to 24 in		
*2 to 2½ ft		
*2 ½ to 3 ft*3 to 3½ ft*3		
*3 to $3\frac{1}{2}$ ft	11.00	
T. baccata hibernica (Irish Yew). Ve branches. Dark glossy green folia	σε	t dense
*12 to 18 in	6.00	57.50
*18 to 24 in	8.00	75.00
*2 to 2½ ft.	12.00	110.00
T. baccata repandens (Spreading Enggrowing, spreading branches, droc	glish Yew oping at t). Low- he end.
Very dark green needles.		26.25
1½ to 2 ft		36.00
$\frac{2}{2}$ to $\frac{21}{2}$ ft		54.00
*2½ to 3 ft		81.00
*3 to 3½ ft		110.00
T. baccata washingtoni (Washington compact type. Partly colored gold	den yellov	igorous v.
*12 to 18 in	4.00	37.50
*18 to 24 in	5.00	
*2 to 2½ ft		

TAXUS—Continued

TAXOS—Continued		
	Each	Per 10
T. canadensis (Canada Yew). Low		
Bronze in Winter. Prefers shade.	spreading	nabit.
15 to 18 in		27.50
1½ to 2 ft		37.50
2 to 2½ ft		47.50
2½ to 3 ft		67.50
3 to 3½ ft		97.50
3½ to 4 ft	12.50	100.00
4 to 4½ ft		
4½ to 5 ft	17.50	
5 to 6 ft	20.00	
70 '1 . (C 1: T 37	\ C1	
T. cuspidata (Spreading Japanese Yev	w). Slow-g	rowing,
bushy type. Foliage rich, dark gre	en.	
15 to 18 in	2.50	22.50
18 to 24 in	3.50	31.50
2 to 2½ ft	4.50	41.50
*2½ to 3 ft.	6.00	54.00
*2½ to 3 ft *3 to 3½ ft	7.50	70.00
*3½ to 4 ft	15.00	140.00
*Large specimens\$20.00	to 40.00	1.10.00
Large specimens	10 40.00	
T. cuspidata capitata (Upright Japai	nese Yew)	. Sym-
metrical, pyramidal growth. Fol	liage rich	, dark
green.		
1½ to 2 ft	4.00	36.00
2 to 2½ ft		45.00
2½ to 3 ft		58.00
*3 to 3½ ft		80.00
		144.00
		180.00
	23.00	207.00
*5 to 6 ft	27.00	
*6 to 8 ft 35.00	to 50.00	
T. cuspidata intermedia (Spreading	Japanese	Yew).
Slow-growing and similar to cusp	oidata, bu	much
more compact.	radia, ou	
-	2.50	20.00
15 to 18 in		30.00
18 to 24 in		36.00
2 to 2½ ft		45.00
2½ to 3 ft		81.00
*3 to 3½ ft		110.00
*3½ to 4 ft		170.00
*4 to 4½ ft		
*4½ to 5 ft	25.00	
T (D(I	Z\ C1	
T. cuspidata nana (Dwarf Japanese)	ew). Slow	grow-
ing, irregular and spreading. V	ery dark	green,
broad, thick leaves.		
15 to 18 in	3.75	33.50
18 to 21 in	4.50	40.00
21 to 24 in		50.00
2 to 2½ ft		67.00
*2½ to 3 ft		95.00
*3 to 3½ ft		
*3½ to 4 ft		
J / LU I L+	20.00	

	Each	Per 10
THUJA occidentalis (American Arbor	vitae).	Slender
pyramid, broad at base. Foliage bro	nze in	Winter.
Good for hedge or sheared specime	1.	
18 to 24 in	1.00	9.00
2 to 2½ ft	1.50	12.00
$2\frac{1}{2}$ to 3 ft	1.75	15.00
3 to 4 ft	2.50	22.50
4 to 5 ft	4.00	36.00
5 to 6 ft	6.00	52.50
6 to 7 ft	8.00	72.00
7 to 8 ft	10.00	90.00
* 8 to 9 ft	12.00	
* 9 to 10 ft	18.00	
*10 to 12 ft	22.00	
*12 to 14 ft	25.00	
*14 to 16 ft	30.00	
T. occidentalis caucasica (Caucasian Ar	horvitae	ه).
2 to 2½ ft	4.00	36.00
2½ to 3 ft	5.00	30.00
3 to 3½ ft	6.00	
J 10 372 1t	0.00	
T. occidentalis Columbia (Columbia Arbo		C
growing pyramid. Foliage tips hav	orvitae)	. Strong
	e siivei	y varie-
gation.		
18 to 24 in	2.50	
2 to 2½ ft	3.50	30.00
2½ to 3 ft	4.00	36.00
$\frac{3}{1}$ to $\frac{3}{2}$ ft	4.50	40.00
3½ to 4 ft	5.50	50.00
4 to 5 ft	7.00	63.00
5 to 6 ft	9.00	80.00
6 to 7 ft	11.00	100.00
T. occidentalis compacta (Parson's Dwa	rf Arb	orvitae).
Formal globe-shape with bright gre-	en folia	age.
12 to 15 in	1.00	9.00
15 to 18 in	1.25	10.00
18 to 24 in	1.50	14.50
*2 to 2½ ft	2.50	14.70
*2½ to 3 ft	3.00	
*3 to 3½ ft	3.50	
J to J/2 It.	5.70	
T. occidentalis Elwangeriana (Tom Thun	ab Arb	orvitae).
Low, broad, pyramidal type. Dense	foliage.	of soft.
close texture.	,	,
2 to 2½ ft	2.00	18.00
2½ to 3 ft	2.50	22.50
3 to 3½ ft	3.50	31.50
3½ to 4 ft	4.50	71.70
4 to 4½ ft	5.50	
1 10 1/2 11	7.70	
T. occidentalis globosa (Globe Arborvitae). Natu	ral com-
pact globe. Low growing.		
12 to 15 in	1.25	11.25
15 to 18 in	1.50	13.50
18 to 24 in	1.75	15.00
2 to 2½ ft	2.50	22.50
2½ to 3 ft	3.00	27.00
$\frac{2}{3}$ to $\frac{3}{2}$ ft	4.00	
> 7 > / L L L L L L L L L L L L L L L L L L		

THUJA—Continued

	1110JA—Continued		
		Each	Per 10
T.	occidentalis hoveyi (Hovey Arborvita		
	type with dense, rich green foliage.	c). Dwa	.ii Ovai
	15 to 18 in	1.25	11.25
	1½ to 2 ft	1.75	15.75
	2 to 2½ ft	2.25	20.00
	2½ to 3 ft	2.75	24.00
	3 to 3½ ft	3.50	
	3½ to 4 ft	4.50	
T.	occidentalis lutea (George Peabod	y Arbo	rvitae).
	Strong-growing, pyramidal type with	h bright	yellow
	foliage.		
	2 to 2½ ft	1.75	16.50
	2½ to 3 ft	2.50	22.50
	3 to 4 ft	3.50	30.00
	4 to 5 ft	4.50	40.00
	*5 to 6 ft	6.50	
	*6 to 7 ft	9.00	
Т.	occidentalis pyramidalis (Pyramida	1 A.L.	: \
1.		bright	rvitae).
	Narrow, columnar type. Foliage throughout Winter.	Dright	green
	2 to 2½ ft	1.50	13.50
	2½ to 3 ft	2.25	20.00
	3 to 4 ft	3.25	29.25
	4 to 5 ft	5.00	45.00
	5 to 6 ft	8.00	72.00
	6 to 7 ft	10.00	90.00
	7 to 8 ft	14.00	130.00
	8 to 9 ft	18.00	170.00
	0 10 9 11	10.00	
Т.	occidentalis rosenthali (Rosenthal Arb	orvitae)	. Slow-
	growing pyramid. Good green, dens	e foliage	2.
	1½ to 2 ft	2.00	18.00
	2 to 2½ ft	3.00	27.00
	2½ to 3 ft	4.00	36.00
	3 to 3½ ft	5.00	45.00
	3½ to 4 ft	6.00	54.00
	4 to 4½ ft	7.00	63.00
Т.	occidentalis spiralis (Douglas Pyramid	al Arbo	rvitae).
	Formal pyramidal type. Short ferr	ı-like bı	ranches
	deep green foliage.		
	2 to 3 ft	1.50	12.50
	3 to 4 ft	2.50	22.50
	4 to 5 ft	4.00	36.00
	5 to 6 ft	6.50	60.00
	6 to 7 ft	7.50	70.00
	7 to 8 ft	10.00	90.00
	8 to 9 ft	15.00	
т		A1	
T.	occidentalis vervaeneana (Vervaene	Ardoi	vitae).
	Broad pyramid. Foliage variegated to bronze in Winter.	yenow, t	urning
	18 to 24 in	2.00	18.00
	2 to 2½ ft	2.50	22.50
	2½ to 3 ft	3.00	27.00
	3 to 3½ ft	4.00	34.00
	3½ to 4 ft	5.00	45.00
	4 to 5 ft	6.00	
	5	0.00	

8.00

THUJA—Continued

			חנ	JACo	nunuea		
						Each	Per 10
Т.	occidental	is war	eans	(Ware	Arborvita		
	dense fo	liage.	Bro	nad. nvr	amidal ty	ne.	green,
	$1\frac{1}{2}$ to	2 f	t	, p).		1.25	11.25
	2 to	2½ f	t.			1.75	15.75
	$2\frac{1}{2}$ to					2.25	20.00
	3 to					3.00	27.00
	$3\frac{1}{2}$ to					4.00	36.00
	4 to	5 f	t			5.00	
T.	orientalis	21170	a 11	ana (B	erkman's	Golden	Arbor.
•	vitae)	Excelle	nt f	or form	al use an	d edging	Come
					. Foliage		
	yellow.		,	, p.	. I omage	u	Borner
	•	5 in				1.85	15.00
						2.25	20.00
						3.50	31.50
T.					(Goldspi	re Arbo	
••				ow folia			· vitac , .
	*18 t	o 24	ir	0 w 1 0 11 a		2.25	20.00
						3.00	27.00
	* 2½ t	0 3				3.75	35.00
		o 3½				4.50	
	* 3½ t					6.00	
						7.50	
Т.	orientalis	elegar	tissi	ma (Ye	llow Colum	nn Arbo	rvitae).
	Columna	ar typ	e. I	Deen rich	h bronze	in Wint	er.
						3.00	27.50
						4.00	37.50
		0 3				5.00	47.50
						6.00	
T.	orientalis				ld Arborv	itae). Co	ompact.
	oval tvr	e. Fol	iage	good g	reen.		Janpace,
		24				1.50	13.50
	2 to	21/2	ft.			2.25	20.00
	$2\frac{1}{2}$ to	3	ft.			3.00	27.00
	3 to	4	ft.			4.50	
T.	orientalis	nvra	mid	alis (Or	iental Py	ramidal	Arbor-
	vitae). S	Set col	umr	ar habii	; foliage	bright g	reen in
	Summer	, turn	ing	to dull	bronze in	Winter.	
	2 to	21/2	ft.	Sheared	bronze in specimens	1.50	13.50
	$2\frac{1}{2}$ to	3	ft.	***	***	2.25	20.00
	3 to	4	ft.	**	**	3.00	27.00
	4 to	5	ft.	**	**	4.75	42.50
	5 to		ft.	**	**	6.00	54.00
	6 to		ft.	**	**	8.00	72.00
	7 to	8	ft.	**	**	10.00	90.00
	8 to		ft.	**	**	17.00	
	9 to		ft.	**	"	20.00	
	10 to		ft.	**	"	25.00	
	12 to		ft.	**	**	30.00	
_	14 to		ft.			35.00	
т.	standishi	(Stan	dish	Arbory	vitae). Vi	gorous,	upright
	growth i	ormin	ga	pyramid	l. Used in	group o	r speci-
	men pla		٠.				ar
	18 to					3.00	27.00
	2 to	21/2	ft.			3.50	30.00
	$2\frac{1}{2}$ to					4.00	37.50
	3 to					5.00	45.00
	4 to 5	-				7.50	67.50
	5 to	O	Ιť.			10.00	90.00

	Each	Per 10
TSUGA canadensis (Canada Hemlock).	Large	growing
tree of graceful habit. Spread	ling h	orizontal
branches. May be used as clipped 1	hedge.	
$1\frac{1}{2}$ to 2 ft	2.00	18.00
2 to 2½ ft	2.50	22.50
$2\frac{1}{2}$ to 3 ft	3.50	33.00
3 to $3\frac{1}{2}$ ft.	4.50	42.50
$3\frac{1}{2}$ to 4 ft	6.00	55.00
4 to 5 ft	8.00	75.00
5 to 6 ft	10.00	95.00
6 to 7 ft	16.00	150.00
7 to 8 ft	20.00	
8 to 9 ft	25.00	
9 to 10 ft	35.00	
T 1: E (111		1
T. carolineanum. Evergreen of good hab	oit and	
18 to 24 in	2.50	22.50
2 to 2½ ft	3.50	31.50
$2\frac{1}{2}$ to 3 ft	4.50	40.00
$\frac{3}{2}$ to $\frac{3}{2}$ ft	5.00	47.50
3½ to 4 ft	6.50	62.50
4 to 5 ft	9.00	
T. diversifolia (Japanese Hemlock). Grabranches; dark green, glossy foliage		preading
18 to 24 in	5.00	
2 to 2½ ft	6.00	
2½ to 3 ft	7.00	
3 to 3½ ft	8.00	
3½ to 4 ft	9.00	
4 to 5 ft	10.00	
5 to 6 ft	14.00	
/ 10 0 11	17.00	

Evergreen Shrubs

In Winter, when the landscape is almost shorn of its beauty, the bright, glossy foliage of evergreen shrubs make a brave display, and are on this account, doubly valuable.

oict cubsoil with

A deep, cool, moist subsoil with proper drainage the ideal soil, and a shaded position is often prefera	able.
Each Per	r 10
AZALEA amoena (Japanese Azalea). Attractive, ple-red flowers. April-May. Small, bright g leaves in Summer, turning to a rich bronze g in Winter. 2-3 ft.	reen
	8.00
12 to 15 in	20.00
15 to 18 in 3.00 -	
18 to 21 in	
A. hinodegiri (Hinodegiri Azalea). Bright, carm pink flowers. April-May. Leaves larger than amount and better habit. 3 to 4 ft. *10 to 12 in	oena ——
12 to 17 m 7.00	
*15 to 18 in 4.00	
rapid growth with broad spined leaves.	airly
15 to 18 in	
10 to 24 in 5.00 -	
B. ilicifolia (Holly Barberry). Holly-like leaves, peing until new foliage appears; flowers yellow.	
	10.00
15 to 18 in	2.70
BUXUS japonica (Globe Form, Sheared).	
10 to 12 in	
12 to 15 in	
7, 10 10 1111 7.00	
18 to 24 in	
2 to 2/2 it	
B. japonica (Pyramidal Form, Sheared). 2 to 2½ ft	
3 to 3½ ft	
7/2 00 1 10 11.00	
B. japonica (Tree or Standard Form, Sheared).	
12 to 18 in. high, 18 in. crown 10.00 -	
18 to 24 in. high, 18 in. crown 12.00 -	
24 to 30 in. high, 24 in. crown 15.00	
B. sempervirens (Common Box). Slow-growing, fashioned evergreen, very useful in formal colonial plantings. May be sheared and trained to any form desired. 12-15 ft.	old- and d in-
10 to 12 in. bushy	8.00
	10.35
	13.50
18 to 24 in. bushy 2.50 2	22.50
24 to 30 in. bushy 4.50 4	10.50

BUXUS—Continued

	Each 1	Per 10
B. sempervirens rotundifolia (Round-leaf B		
strong-growing type, having a good	green,	round
leaf. 12-15 ft.		
18 to 24 in	4.75	
2 to 2½ ft	6.50	
$2\frac{1}{2}$ to 3 ft	8.00	
B. sempervirens suffruticosa (True Dwarf	Box).	Excel-
lent for hedges in informal garden, 2	to 3 f	fr.
6 to 8 inPer 100, \$50.00	75	6.50
6 to 8 inPer 100, \$50.00 8 to 10 in " "70.00	95	8.00
8 to 10 in	1.25	
10 to 12 in 90.00		10.00
12 to 15 in	1.75	15.00
COTONEASTER horizontalis (Rock Coton		T
COTONEASTER HORIZONTAILS (ROCK COTO)	neaster)	Low-
spreading shrub. Small, shiny leave	s, brig	ht red
berries. 1 to $1\frac{1}{2}$ ft.		
15 to 18 in	1.50	13.50
15 to 18 in 18 to 24 in	2.00	17.50
2 to 2½ ft	2.50	22.50
$2\frac{1}{2}$ to 3 ft	3.00	25.00
= / 2 to / Itimine	3.00	
EUONYMUS japonicus (Japanese Euony	mus).	Bushy.
upright habit. Lustrous deep green	leaves	,
15 to 18 in	1.50	13.50
15 to 18 in 18 to 24 in	2.00	17.50
T 1' (C1 1 C W)	2.00	17.70
E. radicans acutus (Sharpleaf Wintercre		
similar to radicans. Long, narrow l	leaves,	purple
tinted underneath.		
3 years	.75	6.00
4 years	1.50	13.50
·		
E. radicans vegetus (Bigleaf Wintercree	eper).	Strong
E. radicans vegetus (Bigleaf Wintercree	eper).	Strong
E. radicans vegetus (Bigleaf Wintercree	eper).	Strong
E. radicans vegetus (Bigleaf Wintercree growing, shrubby vine. Handsome rou Abundant scarlet fruit. 2 years	eper). nd gree .75	Strong en leaf.
E. radicans vegetus (Bigleaf Wintercree	eper).	Strong
E. radicans vegetus (Bigleaf Wintercree growing, shrubby vine. Handsome rou Abundant scarlet fruit. 2 years	eper). nd gree .75 1.00	Strong en leaf. 6.00 8.00
E. radicans vegetus (Bigleaf Wintercree growing, shrubby vine. Handsome rou Abundant scarlet fruit. 2 years	eper). nd gree .75 1.00	Strong en leaf. 6.00 8.00
E. radicans vegetus (Bigleaf Wintercree growing, shrubby vine. Handsome rou Abundant scarlet fruit. 2 years	eper). nd gree .75 1.00 clingin .35	Strong en leaf. 6.00 8.00 g vine. 3.00
E. radicans vegetus (Bigleaf Wintercree growing, shrubby vine. Handsome rou Abundant scarlet fruit. 2 years	.75 1.00 clingin .35 .50	Strong en leaf. 6.00 8.00 g vine. 3.00 4.50
E. radicans vegetus (Bigleaf Wintercree growing, shrubby vine. Handsome rou Abundant scarlet fruit. 2 years 3 years HEDERA helix (English Ivy). Evergreen, Medium plants Strong plants Extra strong plants	.75 1.00 clingin .35 .50	Strong en leaf. 6.00 8.00 g vine. 3.00 4.50 7.50
E. radicans vegetus (Bigleaf Wintercree growing, shrubby vine. Handsome rou Abundant scarlet fruit. 2 years 3 years HEDERA helix (English Ivy). Evergreen, Medium plants Strong plants Extra strong plants ILEX crenata (Japanese Holly). Rapid	.75 1.00 clingin .35 .50 .80	Strong en leaf. 6.00 8.00 g vine. 3.00 4.50 7.50
E. radicans vegetus (Bigleaf Wintercree growing, shrubby vine. Handsome rou Abundant scarlet fruit. 2 years 3 years HEDERA helix (English Ivy). Evergreen, Medium plants Strong plants Extra strong plants ILEX crenata (Japanese Holly). Rapid	.75 1.00 clingin .35 .50 .80	Strong en leaf. 6.00 8.00 g vine. 3.00 4.50 7.50
E. radicans vegetus (Bigleaf Wintercree growing, shrubby vine. Handsome rou Abundant scarlet fruit. 2 years	.75 1.00 clingin .35 .50 .80	Strong en leaf. 6.00 8.00 g vine. 3.00 4.50 7.50
E. radicans vegetus (Bigleaf Wintercree growing, shrubby vine. Handsome rou Abundant scarlet fruit. 2 years	eper). nd gree .75 1.00 clingin .35 .50 .80 growing s. Black	Strong en leaf. 6.00 8.00 g vine. 3.00 4.50 7.50 g ever- fruit.
E. radicans vegetus (Bigleaf Wintercree growing, shrubby vine. Handsome rou Abundant scarlet fruit. 2 years	eper). nd gree .75 1.00 clingin .35 .50 .80 growing s. Black	Strong en leaf. 6.00 8.00 g vine. 3.00 4.50 7.50 g ever- c fruit. 27.50
E. radicans vegetus (Bigleaf Wintercree growing, shrubby vine. Handsome rou Abundant scarlet fruit. 2 years	.75 1.00 clingin .35 .50 .80 growing s. Black	Strong en leaf. 6.00 8.00 g vine. 3.00 4.50 7.50 g ever- c fruit. 27.50 31.50
E. radicans vegetus (Bigleaf Wintercree growing, shrubby vine. Handsome rou Abundant scarlet fruit. 2 years 3 years HEDERA helix (English Ivy). Evergreen, Medium plants Strong plants Extra strong plants ILEX crenata (Japanese Holly). Rapid green shrub. Glossy, dark green leave Grows to 6 to 8 ft. 15 to 18 in	.75 1.00 clingin .35 .50 .80 growings. Black	Strong en leaf. 6.00 8.00 g vine. 3.00 4.50 7.50 g ever- f fruit. 27.50 31.50 40.00
E. radicans vegetus (Bigleaf Wintercree growing, shrubby vine. Handsome rou Abundant scarlet fruit. 2 years 3 years HEDERA helix (English Ivy). Evergreen, Medium plants Strong plants Extra strong plants ILEX crenata (Japanese Holly). Rapid green shrub. Glossy, dark green leave Grows to 6 to 8 ft. 15 to 18 in	.75 1.00 clingin .35 .50 growing s. Black 3.00 3.50 4.50 6.00	Strong en leaf. 6.00 8.00 8.00 g vine. 3.00 4.50 7.50 g ever- fruit. 27.50 31.50 40.00 54.00
E. radicans vegetus (Bigleaf Wintercree growing, shrubby vine. Handsome rou Abundant scarlet fruit. 2 years 3 years HEDERA helix (English Ivy). Evergreen, Medium plants Strong plants Extra strong plants ILEX crenata (Japanese Holly). Rapid green shrub. Glossy, dark green leave Grows to 6 to 8 ft. 15 to 18 in	.75 1.00 clingin .35 .50 growing s. Black 3.00 3.50 4.50 6.00 7.50	Strong en leaf. 6.00 8.00 g vine. 3.00 4.50 7.50 g ever- fruit. 27.50 31.50 40.00
E. radicans vegetus (Bigleaf Wintercree growing, shrubby vine. Handsome rou Abundant scarlet fruit. 2 years 3 years HEDERA helix (English Ivy). Evergreen, Medium plants Extra strong plants ILEX crenata (Japanese Holly). Rapid green shrub. Glossy, dark green leave Grows to 6 to 8 ft. 15 to 18 in	eper). nd gree .75 1.00 clingin .35 .50 .80 growings. Black 3.00 3.50 4.50 6.00 9.00	Strong en leaf. 6.00 8.00 8.00 g vine. 3.00 4.50 7.50 g ever- fruit. 27.50 31.50 40.00 54.00
E. radicans vegetus (Bigleaf Wintercree growing, shrubby vine. Handsome rou Abundant scarlet fruit. 2 years 3 years HEDERA helix (English Ivy). Evergreen, Medium plants Strong plants Extra strong plants ILEX crenata (Japanese Holly). Rapid green shrub. Glossy, dark green leave Grows to 6 to 8 ft. 15 to 18 in 18 to 24 in 2 to 2½ ft 2½ to 3 ft 3 to 3½ ft 3½ to 4 ft 4 to 5 ft	eper). nd gree .75 1.00 clingin .35 .50 .80 growings. Black 3.00 3.50 4.50 6.00 7.50 9.00 14.00	Strong en leaf. 6.00 8.00 g vine. 3.00 4.50 7.50 g ever- fruit. 27.50 31.50 40.00 54.00
E. radicans vegetus (Bigleaf Wintercree growing, shrubby vine. Handsome rou Abundant scarlet fruit. 2 years 3 years HEDERA helix (English Ivy). Evergreen, Medium plants Strong plants Extra strong plants ILEX crenata (Japanese Holly). Rapid green shrub. Glossy, dark green leave Grows to 6 to 8 ft. 15 to 18 in 18 to 24 in 2 to 2½ ft 2½ to 3 ft 3 to 3½ ft 3½ to 4 ft 4 to 5 ft	eper). nd gree .75 1.00 clingin .35 .50 .80 growings. Black 3.00 3.50 4.50 6.00 9.00	Strong en leaf. 6.00 8.00 g vine. 3.00 4.50 7.50 g ever- fruit. 27.50 31.50 40.00 54.00
E. radicans vegetus (Bigleaf Wintercree growing, shrubby vine. Handsome rou Abundant scarlet fruit. 2 years 3 years HEDERA helix (English Ivy). Evergreen, Medium plants Strong plants Extra strong plants ILEX crenata (Japanese Holly). Rapid green shrub. Glossy, dark green leave Grows to 6 to 8 ft. 15 to 18 in	eper). nd gree .75 1.00 clingin .35 .50 .80 growing s. Black 3.00 3.50 4.50 6.00 7.50 9.00 14.00 20.00	Strong en leaf. 6.00 8.00 g vine. 3.00 4.50 7.50 g ever- fruit. 27.50 31.50 40.00 54.00 70.00
E. radicans vegetus (Bigleaf Wintercree growing, shrubby vine. Handsome rou Abundant scarlet fruit. 2 years 3 years HEDERA helix (English Ivy). Evergreen, Medium plants Strong plants Extra strong plants ILEX crenata (Japanese Holly). Rapid green shrub. Glossy, dark green leave Grows to 6 to 8 ft. 15 to 18 in	eper). nd gree .75 1.00 clingin .35 .50 .80 growing s. Black 3.00 3.50 4.50 6.00 7.50 9.00 14.00 20.00	Strong en leaf. 6.00 8.00 g vine. 3.00 4.50 7.50 g ever- fruit. 27.50 31.50 40.00 54.00 70.00
E. radicans vegetus (Bigleaf Wintercree growing, shrubby vine. Handsome rou Abundant scarlet fruit. 2 years 3 years HEDERA helix (English Ivy). Evergreen, Medium plants Extra strong plants Extra strong plants ILEX crenata (Japanese Holly). Rapid green shrub. Glossy, dark green leave Grows to 6 to 8 ft. 15 to 18 in	eper). nd gree .75 1.00 clingin .35 .50 .80 growing s. Black 3.00 4.50 6.00 7.50 9.00 14.00 20.00 5. Shiny	Strong en leaf. 6.00 8.00 g vine. 3.00 4.50 7.50 g ever- fruit. 27.50 31.50 40.00 54.00 70.00 ——— y, dark
E. radicans vegetus (Bigleaf Wintercree growing, shrubby vine. Handsome rou Abundant scarlet fruit. 2 years 3 years HEDERA helix (English Ivy). Evergreen, Medium plants Extra strong plants Extra strong plants ILEX crenata (Japanese Holly). Rapid green shrub. Glossy, dark green leave Grows to 6 to 8 ft. 15 to 18 in	eper). nd gree .75 1.00 clingin .35 .50 .80 growing s. Black 3.00 3.50 4.50 6.00 7.50 9.00 14.00 20.00 0. Shiny 6 ft.	Strong en leaf. 6.00 8.00 g vine. 3.00 4.50 7.50 g ever- fruit. 27.50 31.50 40.00 70.00 ——— y, dark 18.00
E. radicans vegetus (Bigleaf Wintercree growing, shrubby vine. Handsome rou Abundant scarlet fruit. 2 years 3 years HEDERA helix (English Ivy). Evergreen, Medium plants Extra strong plants ILEX crenata (Japanese Holly). Rapid green shrub. Glossy, dark green leave Grows to 6 to 8 ft. 15 to 18 in	2.75 1.00 clingin .35 .50 80 growings. Black 3.00 3.50 4.50 6.00 7.50 9.00 14.00 20.00 5. Shiny 6 ft. 2.00 2.50	Strong en leaf. 6.00 8.00 9 vine. 3.00 4.50 7.50 g ever- fruit. 27.50 31.50 40.00 70.00
E. radicans vegetus (Bigleaf Wintercree growing, shrubby vine. Handsome rou Abundant scarlet fruit. 2 years	eper). nd gree .75 1.00 clingin .35 .50 .80 growings. Black 3.00 3.50 4.50 6.00 7.50 9.00 14.00 20.00 b. Shiny 6 ft. 2.00 2.50 3.50	Strong en leaf. 6.00 8.00 g vine. 3.00 4.50 7.50 g ever- fruit. 27.50 31.50 40.00 54.00 70.00 ——— y, dark 18.00 22.50 31.50
E. radicans vegetus (Bigleaf Wintercree growing, shrubby vine. Handsome rou Abundant scarlet fruit. 2 years 3 years HEDERA helix (English Ivy). Evergreen, Medium plants Extra strong plants Extra strong plants ILEX crenata (Japanese Holly). Rapid green shrub. Glossy, dark green leave Grows to 6 to 8 ft. 15 to 18 in	eper). nd gree .75 1.00 clingin .35 .50 .80 growing s. Black 3.00 3.50 4.50 6.00 7.50 9.00 14.00 20.00 b. Shiny 6 ft. 2.00 2.50 4.50 4.50	Strong en leaf. 6.00 8.00 g vine. 3.00 4.50 7.50 g ever- fruit. 27.50 40.00 54.00 70.00 —— 7, dark 18.00 22.50 31.50 40.00
E. radicans vegetus (Bigleaf Wintercree growing, shrubby vine. Handsome rou Abundant scarlet fruit. 2 years	eper). nd gree .75 1.00 clingin .35 .50 .80 growings. Black 3.00 3.50 4.50 6.00 7.50 9.00 14.00 20.00 b. Shiny 6 ft. 2.00 2.50 3.50	Strong en leaf. 6.00 8.00 g vine. 3.00 4.50 7.50 g ever- fruit. 27.50 31.50 40.00 54.00 70.00 ——— y, dark 18.00 22.50 31.50

	Each :	Per 10
KALMIA latifolia (Mountain-laurel).	Dark gree	n foli-
age with showy clusters of pink	flowers in	June.
15 to 18 in	2.00	17.50
$1\frac{1}{2}$ to 2 ft	2.25	20.00
2 to 2½ ft	3.00	27.00
2½ to 3 ft		35.00
3 to 3½ ft	5.00	45.00
$3\frac{1}{2}$ to 4 ft	7.50	
4 to 4½ ft	9.00	
4½ to 5 ft		
LEIOPHYLLUM buxifolium (Box San		Dense-
ly branched, low evergreen shrub	white bl	ossoms
produced in profusion.		
12 to 18 in	1.75	
18 to 21 in	2.25	
2 to 2½ ft		
LEUCOTHOE cateshaei (Drooping L.	eucothoe)	Shrub
LEUCOTHOE catesbaei (Drooping Lewith spreading, slender branches.	Lustrous	green
leaves. Rich Autumn color. Whi	te flowers	May-
June 3 to 4 ft		1114
12 to 15 in	2.00	18.00
15 to 18 in	7 75	20.00
18 to 24 in	2.75	
2 to 2½ ft	3.50	
MAHONIA aquifolia (Oregon Hollyg shrub having shiny green leaves v in Winter. Showy yellow flowers.	rape). Eve	rgreen
snrub naving sniny green leaves v	which are	bronze
in Winter. Showy yellow nowers.	May-June	. Does
well in half shade. 4 to 5 ft.	1.05	11.00
15 to 18 in	1.25	11.00
18 to 24 in	2.00	18.00
2 to 2½ ft	3.00	27.00
2 to 2½ ft	. 3.50 . 4.50	31.50
7 7 7 2 200	- 1170	40.00
PACHYSANDRA terminalis (Japanes	se Pachysa	ndra).
Evergreen trailing vine. Dark gre spikes of whitish flowers in May. Go	en leaves.	Small
spikes of whitish flowers in May. G	ood ground	cover
in shade where grass will not grow	w. 6 in.	
Medium plants100, \$15.00	.25	2.20
in shade where grass will not grow Medium plants100, \$15.00 Strong plants100, 20.00	.30	2.75
PIERIS floribunda (Mountain Androi	neda). Co	mpact.
round, dwarf shrub. Dense dark	c gréen f	oliage;
round, dwarf shrub. Dense dark masses of white flowers in early	Spring. E	Best in
partial shade, 4 ft.		
15 to 18 in	3.00	
18 to 24 in	4.50	40.00
2 to 2½ ft	6.00	54.00
		rowing
P. japonica (Japanese Andromeda). shrub. Foliage rich green, grace	ful white	Aower
clusters. Partial shade. May. Grows	to 4 to 5 f	· f
15 to 18 in	_ 3.00	27.00
15 to 18 in	_ 4.50	40.00
2 to 2½ ft		54.00
YUCCA filamentosa (Common Yucca) I o = = -	
logues Many arrange desired). Long, n	arrow,
leaves. Many creamy flowers on June. 2 to 3 ft. Strong plants	tan nower	spike.
June. 2 to 3 ft.	1.00	0.00
Fytra strong =1	1.50	14.00
Extra strong plants	. 1.70	14.00

RHODODENDRON

	E 1 D 10
	Each Per 10
Rhododendron carolin	ianum (Carolina Rhododendron).
	shrub. Bright pink flowers. May-
June. 4 to 6 ft.	2.50
	3.50 —
	3.75 33.80
	4.50 40.00 6.00 55.00
$2\frac{1}{2}$ to 3 ft	6.00 55.00
D	.1 D1 1 1 1 1 1 1 1
rose flowers. May	wba Rhododendron). Large, deep
	4.50 42.50
	5.00 45.00
	6.00 54.00
	7.00
372 10 4 11	7.00
R. maximum (Roseba	y Rhododendron). Large, heavy
	dant white to light pink blooms
in June. 8 to 12	
	3.00
	3.50
- · - · - · - · · · · · · · · · · · · ·	4.00
	5.00 —
	6.00 —
	9.00 ——
	12.00 —
R. maximum. Heavy	specimen plants.
	4.00 36.00
$2\frac{1}{2}$ to 3 ft	5.00 45.00
3 to 3½ ft	6.50 60.00
$3\frac{1}{2}$ to 4 ft	7.50 70.00
4 to 5 ft	9.00 85.00
5 to 6 ft	12.00 110.00
****	DIVOD OD TIVD DOVIG

HYBRID RHODODENDRONS

Hybrid Rhododendrons. They are p	articularly celebrated
for their very large clusters of	of handsome flowers
and clear color. Can furnish	in shades of pink,
lavender, white and crimson.	- 1
- 1 / '- /	

1 1/2	to	2	ft	8.50	
2	to	$2\frac{1}{2}$	ft	12.00	
$2\frac{1}{2}$	to	3	ft	15.00	
3	to	$3\frac{1}{2}$	ft	18.00	

Deciduous Trees

Nothing can be planted which will grow so well and with so little attention and care as trees. The initial cost is small and paid for many times over by the beauty, pleasure and satisfaction which they bring.

Our collection includes trees adapted for all loca-

Our collection inc		es tr	ees	adapte	d for a	ıll loca-
tions, climates and son	5.				Each	Per 10
ACER dasycarpum (Silv	er l	Mar	ole). R	apid g	rowing,
graceful, penduloi	ıs b	ranc	hes.	Leaves	silvery	under-
neath. 60 to 80 f		2 1/2	:		4.50	40.00
10 to 12 ft., 2 12 to 16 ft., 2½	to to	3			7.00	63.00
3	to	31/2			9.00	81.00
3 1/2	to	4			12.00	
4	to	$4\frac{1}{2}$	in.		15.00	
41/2	to	5			20.00	
5	to	51/2			25.00	
5½ 6	to to	6 8			30.00 35.00	
				idal		Maple).
A. dasycarpum pyram A narrow type w	ith					
20 to 25 ft., 3½		4			12.00	
4	to				15.00	
41/2	to	5	in.		20.00	
5	to	$5\frac{1}{2}$			25.00	
5½					30.00	
A. ginnala (Amur Ma	ple)	. Sh	rubi	by tree	to 10 o	r 12 ft.
Graceful and value of to 5 ft					utumn 1.50	
5 to 6 ft					2.00	13.50 17.50
6 to 8 ft					2.50	22.50
8 to 10 ft					3.00	
A. negundo (Box Eldo height.	er).	Rap	id	growing	g tree. l	Medium
8 to 10 ft., 1½	to	2	in.		2.50	22.50
2	to				3.00	27.00
2½ 3	to	3			4.00	37.00
-					5.00	
A. Pennsylvanicum (So white.						striped
6 to 8 ft					3.00	
8 to 10 ft $1\frac{1}{2}$ to 2 in. cal.					4.00	
A. platanoides (Norw					5.00 lent str	eet tree
forming a round,		nmet	rical			
12 to 14 ft., $1\frac{1}{4}$	to		in.		4.00	36.00
14 to 16 ft., $1\frac{1}{2}$	to	1 3/4			5.00	45.00
$\frac{1}{2}$	to	$\frac{2}{2\frac{1}{4}}$			6.00	54.00
2 2 ¹ / ₄	to to	$\frac{2\frac{1}{4}}{2\frac{1}{2}}$			7.00 8.00	63.00 72.00
*2½	to	3			12.00	117.50
*3	to	$3\frac{1}{2}$			15.00	147.50
*31/2	to	4	in.		18.00	177.50
*4	to	$4\frac{1}{2}$	in.		20.00	190.00
*41/2	to	5			25.00	240.00
*5 *6	to	6			30.00	290.00
*7	to to	7 8			45.00 60.00	430.00 580.00
*8	to	10			80.00	750.00

ACER—Continued

		Each	Per 10
Α.	platanoides argentea variegata (Varie		
2 1.	Somewhat slower growth than the typ		
	a silvery variegation. 40 to 60 ft.	c. Lea	ves mave
	*6 to 8 ft	5.00	
	*8 to 10 ft	6.00	
	*2½ to 3 in. cal	7.00	
Α.	platanoides reitenbachi (Reitenbach		le-leaved
	Maple). Leaves purple. Brilliant Fa	ll coloi	ring. 50
	to 75 ft.		
	*12 to 14 ft., 1 ³ / ₄ to 2 in *2 to 2 ¹ / ₄ in	8.00	
		9.00	
	*2½ to 2½ in	10.00	
	$*2\frac{1}{2}$ to 3 in	12.00	
	*3 to $3\frac{1}{2}$ in	15.00	
Α.	platanoides schwedleri (Schwedleri	Purpl	e-leaved
	Maple). Leaves a bronzy-purple in	Sprin	g turn-
	ing to green in Midsummer. 50 to		
	*12 to 14 ft., 1 ³ / ₄ to 2 in	7.50	70.00
	*2 to $2\frac{1}{4}$ in	9.00	85.00
	*2 $\frac{1}{4}$ to 2 $\frac{1}{2}$ in	10.00	95.00
	$*2\frac{1}{2}$ to 3 in	12.00	110.00
	*3 to 3½ in	15.00	140.00
	*3½ to 4 in	20.00	190.00
	*4 to $4\frac{1}{2}$ in	25.00	
	* $4\frac{1}{2}$ to 5 in	30.00	
	*5 to 6 in	45.00	
	*6 to 7 in	60.00	
A	platanoides spaethi (Spaeth Pink-le	aved	Maple).
	Leaves slightly smaller than Norway	v Man	le. Pur-
	ple-pink. 40 to 60 ft.	y Iviap	ic. I ui-
	*1½ to 1¾ in	7.00	
	*1 ³ / ₄ to 2 in	,	
	4-7	8.00	
	*2 to $2\frac{1}{2}$ in	8.00	
	*2 to 2½ in*2½ to 3 in*2½	10.00	
	$*2\frac{1}{2}$ to 3 in	10.00 12.00	
	*2½ to 3 in*3 to 3½ in	10.00 12.00 15.00	
	*2½ to 3 in *3 to 3½ in *3½ to 4 in	10.00 12.00 15.00 20.00	
	*2½ to 3 in*3 to 3½ in*3½ to 4 in*4 to 4½ in*	10.00 12.00 15.00 20.00 25.00	
A	*2½ to 3 in	10.00 12.00 15.00 20.00 25.00 30.00	
A.	*2½ to 3 in	10.00 12.00 15.00 20.00 25.00 30.00	
Α.	*2½ to 3 in	10.00 12.00 15.00 20.00 25.00 30.00	
A.	*2½ to 3 in	10.00 12.00 15.00 20.00 25.00 30.00 arge, head.	50 to
A.	*2½ to 3 in	10.00 12.00 15.00 20.00 25.00 30.00 arge, head.	50 to 54.00
A.	*2½ to 3 in	10.00 12.00 15.00 20.00 25.00 30.00 Aarge, head. 6.00 7.50	50 to 54.00 70.00
A.	*2½ to 3 in	10.00 12.00 15.00 20.00 25.00 30.00 arge, head. 6.00 7.50 10.00	50 to 54.00
A.	*2½ to 3 in	10.00 12.00 15.00 20.00 25.00 30.00 arge, head. 6.00 7.50 10.00 12.50	50 to 54.00 70.00
Α.	*2½ to 3 in	10.00 12.00 15.00 20.00 25.00 30.00 .arge, head. 6.00 7.50 10.00 12.50	50 to 54.00 70.00
Α.	*2½ to 3 in	10.00 12.00 15.00 20.00 25.00 30.00 arge, head. 6.00 7.50 10.00 12.50 15.00	50 to 54.00 70.00
A.	*2½ to 3 in	10.00 12.00 15.00 20.00 25.00 30.00 arge, head. 6.00 7.50 10.00 12.50 15.00 17.50 20.00	50 to 54.00 70.00
A.	*2½ to 3 in	10.00 12.00 15.00 20.00 25.00 30.00 25.00 4.00 7.50 10.00 12.50 15.00 25.00 25.00	50 to 54.00 70.00
A.	*2½ to 3 in	10.00 12.00 15.00 20.00 25.00 30.00 .arge, head. 6.00 7.50 10.00 12.50 15.00 17.50 20.00 25.00 30.00	50 to 54.00 70.00
Α.	*2½ to 3 in	10.00 12.00 15.00 20.00 25.00 30.00 .arge, head. 6.00 7.50 10.00 12.50 20.00 25.00 30.00 40.00	50 to 54.00 70.00
A	*2½ to 3 in	10.00 12.00 15.00 20.00 25.00 30.00 arge, head. 6.00 7.50 10.00 12.50 15.00 17.50 20.00 25.00 30.00 40.00 50.00	50 to 54.00 70.00 95.00
A	*2½ to 3 in	10.00 12.00 15.00 20.00 25.00 30.00 2srge, head. 6.00 7.50 10.00 12.50 17.50 20.00 25.00 30.00 40.00 dense	50 to 54.00 70.00 95.00
A. A.	*2½ to 3 in	10.00 12.00 15.00 20.00 25.00 30.00 2srge, head. 6.00 7.50 10.00 12.50 17.50 20.00 25.00 30.00 40.00 dense	50 to 54.00 70.00 95.00
A. A.	*2½ to 3 in	10.00 12.00 12.00 15.00 20.00 30.00 25.00 30.00 2arge, head. 6.00 7.50 10.00 12.50 17.50 25.00 30.00 40.00 50.00 dense	50 to 54.00 70.00 95.00
A. A.	*2½ to 3 in	10.00 12.00 15.00 20.00 25.00 30.00 arge, head. 6.00 7.50 10.00 12.50 17.50 20.00 40.00 50.00 dense lliant 15 50 ts	50 to 54.00 70.00 95.00
A	*2½ to 3 in	10.00 12.00 15.00 20.00 25.00 30.00 25.00 10.00 17.50 10.00 17.50 20.00 25.00 30.00 40.00 50.00 dense Iliant 50 to 8.00 10.00	50 to 54.00 70.00 95.00
A. A.	*2½ to 3 in	10.00 12.00 15.00 20.00 25.00 30.00 arge, head. 6.00 7.50 10.00 12.50 17.50 20.00 40.00 50.00 dense lliant 15 50 ts	50 to 54.00 70.00 95.00

ACER—Continued

A. saccharum (Sugar Maple. Good street tree. More erect growth than Norway Maple. 50 to 75 ft. 1½ to 1½ in	ACEK—Continued		
A. saccharum (Sugar Maple. Good street tree. More erect growth than Norway Maple. 50 to 75 ft. 11½ to 1½ in		Fach	Per 10
erect growth than Norway Maple. 50 to 75 ft. 11½ to 1½ in	A see-house (Sugar Monto Good str		
1½ to 1½ in			
13/4 to 2 in	erect growth than inorway Maple.		
2 to 2½ in 9.00 81.00 2½ to 3 in 14.00 130.00 *3 to 3½ in 18.00 *3½ to 4 in 20.00 *4½ to 5 in 30.00 *5½ to 5 in 30.00 *5½ to 6 in 50.00 6 to 7 in 60.00 7 to 8 in 75.00 JAPANESE MAPLES Acer japonicum aureum (Goldenmoon Maple). Very slow growing dwarf tree having a good golden foliage. 6 to 8 ft. *2½ to 3 ft 20.00 *5 to 6 ft 30.00 *6 to 7 in. 40.00 A. palmatum dissectum (Threadleaf Maple). Dwarf tree; slow growth, forming flat round head. Foliage is very lacy and attractive. 6 to 8 ft. *3 to 3½ ft 25.00 *3½ to 4 ft 30.00 *4 to 5 ft 35.00 *5 to 6 ft 50.00 *6 to 7 ft 60.00 A. palmatum atropurpureum (Bloodleaf Japanese Maple). Rich purple leaves all Summer. Makes splendid lawn specimen. 6 to 8 ft. 18 to 24 in 4.00 2 to 2½ ft 60.00 2½ to 3 ft 8.00 3 to 4 ft 12.00 115.00 AESCULUS hippocastanum (Horsechestnut). Large symmetrical tree. A profusion of white flowers on long panicles in May. 50 to 75 ft. 8 to 10 ft., 1½ to 2 in 5.00 3½ to 4 in 12.00 115.00 3½ to 4 in 12.00 115.00 4½ to 5 in 15.00 3½ to 4 in 12.00 15.00 4½ to 5 in 15.00 3½ to 4 in 12.00 4½ to 5 in 15.00 3½ to 4 in 12.00 4½ to 5 in 15.00 3½ to 4 in 12.00 4½ to 5 in 15.00 5½ to 6 in 25.00 6 to 7 in 35.00 AILANTHUS glandulosa (Tree of Heaven). Very rapid growing tree. Large leaves. Thrives under adverse city conditions. 50 to 60 ft. 6 to 8 ft 2.50 22.50 8 to 10 ft., 1¼ to 1½ in 3.00 27.00 10 to 12 ft., 2 to 2½ in 4.00 36.00 12 to 14 ft., 2½ to 3 in 5.00 45.00			
2½ to 3 in 14.00 130.00 *3 to 3½ in 18.00 *3½ to 4 in 20.00 *4½ to 5 in 30.00 *5 to 5½ in 40.00 *5 to 5½ in 40.00 *5 to 5½ in 60.00 *7 to 8 in 75.00 JAPANESE MAPLES Acer japonicum aureum (Goldenmoon Maple). Very slow growing dwarf tree having a good golden foliage. 6 to 8 ft. *2½ to 3 ft 20.00 *4 to 5 ft 30.00 *5 to 6 ft 40.00 *5 to 6 ft 40.00 *3 to 3½ ft 25.00 *3½ to 4 ft 30.00 *4 to 5 ft 35.00 *5 to 6 ft 35.00 *5 to 6 ft 35.00 *6 to 7 ft 35.00 *6 to 7 ft 60.00 *6 to 7 ft 60.00 *6 to 7 ft 60.00 *8 to 10 ft., 1½ to 2 in 4.00 2½ to 3 ft 4.00 2½ to 3 ft 18.00 175.00 AESCULUS hippocastanum (Horsechestnut). Large symmetrical tree. A profusion of white flowers on long panicles in May. 50 to 75 ft. 8 to 10 ft., 1½ to 2 in 5.00 2½ to 3 in 9.00 3½ to 4 in 12.00 4½ to 5 in 15.00 4½ to 5 in 15.00 5½ to 6 in 25.00 5½ to 6 in 25.00 5½ to 6 in 25.00 6 to 7 in 35.00 AILANTHUS glandulosa (Tree of Heaven). Very rapid growing tree. Large leaves. Thrives under adverse city conditions. 50 to 60 ft. 6 to 8 ft 2.50 22.50 8 to 10 ft., 1¼ to 1½ in 3.00 27.00 10 to 12 ft., 2 to 2½ in 5.00 36.00 2 to 14 ft., 2½ to 3 in 5.00 36.00 2 to 14 ft., 2½ to 3 in 5.00 36.00 2 to 14 ft., 2½ to 3 in 5.00 36.00 2 to 14 ft., 2½ to 3 in 5.00 36.00 2 to 14 ft., 2½ to 3 in 5.00 36.00 2 to 14 ft., 2½ to 3 in 5.00 5.00 12 to 14 ft., 2½ to 3 in 5.00 5.00 12 to 14 ft., 2½ to 3 in 5.00 5.00 12 to 14 ft., 2½ to 3 in 5.00 5.00 12 to 14			
*3 to 3½ in	2 to 2½ in		
**4 **\frac{1}{2} to 5 \ in. \ 30.00 \ \ **\frac{1}{2} to 5 \ in. \ 30.00 \ \ **\frac{1}{2} to 5 \ in. \ 30.00 \ \ **\frac{1}{2} to 6 \ in. \ 50.00 \ \ **\frac{1}{2} to 6 \ in. \ 50.00 \ \ **\frac{1}{2} to 6 \ in. \ 50.00 \ \ **\frac{1}{2} to 8 \ in. \ 75.00 \ \ **\frac{1}{2} to 8 \ in. \ 75.00 \ \ **\frac{1}{2} to 8 \ in. \ 75.00 \ \ **\frac{1}{2} to 8 \ in. \ 75.00 \ \ **\frac{1}{2} to 8 \ in. \ 75.00 \ \ **\frac{1}{2} to 8 \ in. \ 75.00 \ \ **\frac{1}{2} to 8 \ ft. \ **\frac{1}{2} to 9 \ ft. \ \$\frac{1}{2} to 2.00 \ \ **\frac{1}{2} to 3 \ ft. \ \$\frac{1}{2} to 2.00 \ \ **\frac{1}{2} to 3 \ ft. \ \$\frac{1}{2} to 2.00 \ \ **\frac{1}{2} to 3 \ ft. \ \$\frac{1}{2} to 2.00 \ \ **\frac{1}{2} to 3 \ ft. \ \$\frac{1}{2} to 2.00 \ \ **\frac{1}{2} to 3 \ ft. \ \$\frac{1}{2} to 2.00 \ \ \ *\frac{1}{2} to 3 \ ft. \ \$\frac{1}{2} to 3 \ ft. \ \$\frac{1}	2½ to 3 in		130.00
*4 to 4½ in 25.00 — *4½ to 5 in 30.00 — *5½ to 6 in 50.00 — *5½ to 6 in 50.00 — 6 to 7 in 60.00 — 7 to 8 in 75.00 — JAPANESE MAPLES Acer japonicum aureum (Goldenmoon Maple). Very slow growing dwarf tree having a good golden foliage. 6 to 8 ft. *2½ to 3 ft 20.00 — *4 to 5 ft 30.00 — *5 to 6 ft 40.00 — A. palmatum dissectum (Threadleaf Maple). Dwarf tree; slow growth, forming flat round head. Foliage is very lacy and attractive. 6 to 8 ft. *3 to 3½ ft 25.00 — *3½ to 4 ft 30.00 — *4 to 5 ft 50.00 — A. palmatum atropurpureum (Bloodleaf Japanese Maple). Rich purple leaves all Summer. Makes splendid lawn specimen. 6 to 8 ft. 18 to 24 in 4.00 — 2 to 2½ ft 6.00 — 3 to 4 ft 12.00 115.00 AESCULUS hippocastanum (Horsechestnut). Large symmetrical tree. A profusion of white flowers on long panicles in May. 50 to 75 ft. 8 to 10 ft., 1½ to 2 in 5.00 — 2 to 2½ to 3 in 9.00 — 3 to 3½ to 4 in 12.00 — 4 to 4½ in 13.50 — 2 to 2½ in 5.00 — AHLANTHUS glandulosa (Tree of Heaven). Very rapid growing tree. Large leaves. Thrives under adverse city conditions. 50 to 60 ft. 6 to 8 ft 2.50 22.50 8 to 10 ft., 1¼ to 1½ in 3.00 27.00 10 to 12 ft., 2 to 2½ in 4.00 36.00 12 to 14 ft., 2½ to 3 in 5.00 12.00 15 to 14 ft., 2½ to 3 in 5.00 27.00 10 to 12 ft., 2 to 2½ in 4.00 36.00	*3 to 3½ in		
*4½ to 5 in 30.00			
*5 to 5½ in 40.00 — *5½ to 6 in 50.00 — 6 to 7 in 60.00 — 7 to 8 in 75.00 — JAPANESE MAPLES Acer japonicum aureum (Goldenmoon Maple). Very slow growing dwarf tree having a good golden foliage. 6 to 8 ft. *2½ to 3 ft 20.00 — *4 to 5 ft 30.00 — *5 to 6 ft 40.00 — A. palmatum dissectum (Threadleaf Maple). Dwarf tree; slow growth, forming flat round head. Foliage is very lacy and attractive. 6 to 8 ft. *3 to 3½ ft 25.00 — *3½ to 4 ft 30.00 — *5 to 6 ft 50.00 — A. palmatum atropurpureum (Bloodleaf Japanese Maple). Rich purple leaves all Summer. Makes splendid lawn specimen. 6 to 8 ft. 18 to 24 in 4.00 — 2 to 2½ ft 60.00 — 2 to 2½ ft 8.00 — 3 to 4 ft 12.00 115.00 4 to 5 ft 18.00 175.00 AESCULUS hippocastanum (Horsechestnut). Large symmetrical tree. A profusion of white flowers on long panicles in May. 50 to 75 ft. 8 to 10 ft., 1½ to 2 in 5.00 — 2½ to 3 in 9.00 — 3 to 4½ to 4 in 12.00 115.00 — 2½ to 3 in 9.00 — 3 to 4½ to 4 in 12.00 115.00 — 4 to 4½ in 13.50 — 2½ to 3 in 9.00 — 3 to 4½ to 4 in 12.00 — 4 to 4½ in 13.50 — 4½ to 5 in 15.00 — 5 to 5½ to 6 in 25.00 — 5 to 5½ to 6 in 25.00 — 6 to 7 in 35.00 — AILANTHUS glandulosa (Tree of Heaven). Very rapid growing tree. Large leaves. Thrives under adverse city conditions. 50 to 60 ft. 6 to 8 ft 2.50 22.50 8 to 10 ft., 1¼ to 1½ in 3.00 27.00 10 to 12 ft., 2 to 2½ in 4.00 36.00 12 to 14 ft., 2½ to 3 in 9.00 45.00	*4 to 4½ in		
#5½ to 6 in			
Section			
JAPANESE MAPLES Acer japonicum aureum (Goldenmoon Maple). Very slow growing dwarf tree having a good golden foliage. 6 to 8 ft. 20.00 30.00 44 to 5 ft. 30.00 50			
JAPANESE MAPLES Acer japonicum aureum (Goldenmoon Maple). Very slow growing dwarf tree having a good golden foliage. 6 to 8 ft. *2½ to 3 ft			
Acer japonicum aureum (Goldenmoon Maple). Very slow growing dwarf tree having a good golden foliage. 6 to 8 ft. *2½ to 3 ft	7 to 8 in	75.00	
Acer japonicum aureum (Goldenmoon Maple). Very slow growing dwarf tree having a good golden foliage. 6 to 8 ft. *2½ to 3 ft	TADANIECE BAADI EC		
Slow growing dwarf tree having a good golden foliage. 6 to 8 ft. *2½ to 3 ft.	<u> </u>	8 # 1 V	* 7
foliage. 6 to 8 ft. *2½ to 3 ft			
*2½ to 3 ft. 30.00 — *5 to 6 ft. 30.00 — *5 to 6 ft. 40.00 — *A. palmatum dissectum (Threadleaf Maple). Dwarf tree; slow growth, forming flat round head. Foliage is very lacy and attractive. 6 to 8 ft. *3 to 3½ ft. 25.00 — *3½ to 4 ft. 30.00 — *5 to 6 ft. 50.00 — *6 to 7 ft. 60.00 — *6 to 7 ft. 60.00 — *A. palmatum atropurpureum (Bloodleaf Japanese Maple). Rich purple leaves all Summer. Makes splendid lawn specimen. 6 to 8 ft. 18 to 24 in. 4.00 — 2½ to 3 ft. 8.00 — 2½ to 3 ft. 8.00 — 2½ to 3 ft. 8.00 — 2½ to 5 ft. 18.00 175.00 AESCULUS hippocastanum (Horsechestnut). Large symmetrical tree. A profusion of white flowers on long panicles in May. 50 to 75 ft. 8 to 10 ft., 1½ to 2 in. 5.00 — 2½ to 3 in. 9.00 — 3 to 3½ in. 10.50 — 3½ to 4 in. 12.00 — 4½ to 5 in. 15.00 — 4½ to 5 in. 15.00 — 4½ to 5 in. 15.00 — 5½ to 6 in. 25.00 — 5½ to 6 in. 25.00 — 5½ to 6 in. 25.00 — 6 to 7 in. 35.00 — 6 to 8 ft. 2.50 22.50 8 to 10 ft., 1½ to 1½ in. 3.00 27.00 10 to 12 ft., 2 to 2½ in. 4.00 36.00 12 to 14 ft., 2½ to 3 in. 9.00 36.00 12 to 14 ft., 2½ to 3 in. 9.00 27.00 10 to 12 ft., 2 to 2½ in. 3.00 27.00 10 to 12 ft., 2 to 2½ in. 3.00 27.00 10 to 12 ft., 2 to 2½ in. 4.00 36.00 12 to 14 ft., 2½ to 3 in. 5.00 45.00		good	golden
*4 to 5 ft			
*5 to 6 ft			
A. palmatum dissectum (Threadleaf Maple). Dwarf tree; slow growth, forming flat round head. Foliage is very lacy and attractive. 6 to 8 ft. *3 to 3½ ft			
tree; slow growth, forming flat round head. Foliage is very lacy and attractive. 6 to 8 ft. *3 to 3½ ft			
is very lacy and attractive. 6 to 8 ft. *3 to 3½ ft	A. palmatum dissectum (Threadleaf N	Iaple).	Dwarf
is very lacy and attractive. 6 to 8 ft. *3 to 3½ ft	tree; slow growth, forming flat round	head.	Foliage
*3½ to 4 ft. 30.00 — *4 to 5 ft. 35.00 — *5 to 6 ft. 50.00 — *6 to 7 ft. 60.00 — A. palmatum atropurpureum (Bloodleaf Japanese Maple). Rich purple leaves all Summer. Makes splendid lawn specimen. 6 to 8 ft. 18 to 24 in. 4.00 — 2 to 2½ ft. 6.00 — 2½ to 3 ft. 8.00 — 3 to 4 ft. 12.00 115.00 4 to 5 ft. 18.00 175.00 AESCULUS hippocastanum (Horsechestnut). Large symmetrical tree. A profusion of white flowers on long panicles in May. 50 to 75 ft. 8 to 10 ft., 1½ to 2 in. 5.00 — 2½ to 3½ in. 10.50 — 3½ to 4 in. 12.00 — 3 to 3½ in. 10.50 — 3½ to 4 in. 12.00 — 4 to 4½ in. 13.50 — 4½ to 5 in. 15.00 — 5½ to 6 in. 25.00 — 5½ to 6 in. 25.00 — 6 to 7 in. 35.00 — AILANTHUS glandulosa (Tree of Heaven). Very rapid growing tree. Large leaves. Thrives under adverse city conditions. 50 to 60 ft. 6 to 8 ft. 2.50 22.50 8 to 10 ft., ½ to 1½ in. 3.00 27.00 10 to 12 ft., 2 to 2½ in. 4.00 36.00 12 to 14 ft., 2½ to 3 in. 5.00 45.00	is very lacy and attractive. 6 to 8 ft		
*4 to 5 ft	*3 to 3½ ft	25.00	
*5 to 6 ft. 50.00 — *6 to 7 ft. 60.00 — *A. palmatum atropurpureum (Bloodleaf Japanese Maple). Rich purple leaves all Summer. Makes splendid lawn specimen. 6 to 8 ft. 18 to 24 in. 4.00 — 2 to 2½ ft. 6.00 — 2½ to 3 ft. 8.00 — 3 to 4 ft. 12.00 115.00 4 to 5 ft. 18.00 175.00 AESCULUS hippocastanum (Horsechestnut). Large symmetrical tree. A profusion of white flowers on long panicles in May. 50 to 75 ft. 8 to 10 ft., 1½ to 2 in. 5.00 — 2½ to 3½ to 3½ in. 9.00 — 3 to 3½ to 4 in. 12.00 — 3½ to 4 in. 13.50 — 2½ to 3 in. 9.00 — 3 to 3½ to 4 in. 13.50 — 4½ to 5 in. 15.00 — 4½ to 5 in. 15.00 — 5 to 5½ in. 20.00 — 5½ to 6 in. 25.00 — 6 to 7 in. 35.00 — 6 to 7 in. 35.00 — 6 to 7 in. 35.00 — 6 to 8 ft. 2.50 to 60 ft. 6 to 8 ft. 2.50 2.50 8 to 10 ft., 1¼ to 1½ in. 3.00 27.00 10 to 12 ft., 2 to 2½ in. 4.00 36.00 12 to 14 ft., 2½ to 3 in. 9.00 30.00 27.00 10 to 12 ft., 2 to 2½ in. 3.00 27.00 10 to 12 ft., 2 to 2½ in. 3.00 27.00 10 to 12 ft., 2 to 2½ in. 4.00 36.00 12 to 14 ft., 2½ to 3 in. 5.00 45.00	*3½ to 4 ft	30.00	
*6 to 7 ft. 60.00 — A. palmatum atropurpureum (Bloodleaf Japanese Maple). Rich purple leaves all Summer. Makes splendid lawn specimen. 6 to 8 ft. 18 to 24 in. 4.00 — 2 to 2½ ft. 6.00 — 2½ to 3 ft. 8.00 — 3 to 4 ft. 12.00 115.00 4 to 5 ft. 18.00 175.00 AESCULUS hippocastanum (Horsechestnut). Large symmetrical tree. A profusion of white flowers on long panicles in May. 50 to 75 ft. 8 to 10 ft., 1½ to 2 in. 5.00 — 2½ to 3 in. 9.00 — 2½ to 3 in. 9.00 — 3 to 4½ in. 10.50 — 3½ to 4 in. 12.00 — 4 to 4½ in. 13.50 — 4½ to 5 in. 15.00 — 5 to 5½ in. 20.00 — 5½ to 6 in. 25.00 — 5½ to 6 in. 25.00 — AILANTHUS glandulosa (Tree of Heaven). Very rapid growing tree. Large leaves. Thrives under adverse city conditions. 50 to 60 ft. 6 to 8 ft. 2.50 22.50 8 to 10 ft., ½ to 1½ in. 3.00 27.00 10 to 12 ft., 2 to 2½ in. 4.00 36.00 12 to 14 ft., 2½ to 3 in. 5.00 45.00	*4 to 5 ft	35.00	
*6 to 7 ft	*5 to 6 ft	50.00	
A. palmatum atropurpureum (Bloodleaf Japanese Maple). Rich purple leaves all Summer. Makes splendid lawn specimen. 6 to 8 ft. 18 to 24 in			
ple). Rich purple leaves all Summer. Makes splendid lawn specimen. 6 to 8 ft. 18 to 24 in		Ianan	ese Ma.
did lawn specimen. 6 to 8 ft. 18 to 24 in			
18 to 2½ ft. 6.00 — 2 to 2½ ft. 6.00 — 2½ to 3 ft. 8.00 — 3 to 4 ft. 12.00 115.00 4 to 5 ft. 18.00 175.00 AESCULUS hippocastanum (Horsechestnut). Large symmetrical tree. A profusion of white flowers on long panicles in May. 50 to 75 ft. 8 to 10 ft., 1½ to 2 in. 5.00 — 2 to 2½ in. 7.50 — 2½ to 3 in. 9.00 — 3½ to 4 in. 10.50 — 3½ to 4 in. 12.00 — 4½ to 5 in. 15.00 — 5½ to 6 in. 25.00 — 5½ to 6 in. 25.00 — 6 to 7 in. 35.00 — AILANTHUS glandulosa (Tree of Heaven). Very rapid growing tree. Large leaves. Thrives under adverse city conditions. 50 to 60 ft. 6 to 8 ft. 2.50 22.50 8 to 10 ft., 1¼ to 1½ in. 3.00 27.00 10 to 12 ft., 2 to 2½ in. 4.00 36.00 12 to 14 ft., 2½ to 3 in. 5.00 45.00		. Iviake	3 Spien-
2 to 2½ ft. 6.00 — 2½ to 3 ft. 8.00 — 3 to 4 ft. 12.00 115.00 4 to 5 ft. 18.00 175.00 AESCULUS hippocastanum (Horsechestnut). Large symmetrical tree. A profusion of white flowers on long panicles in May. 50 to 75 ft. 8 to 10 ft., 1½ to 2 in. 5.00 — 2½ in. 7.50 — 2½ to 3 in. 9.00 — 3 to 3½ in. 10.50 — 3½ to 4 in. 12.00 — 4 to 4½ in. 13.50 — 4½ to 5 in. 15.00 — 5½ to 5½ in. 20.00 — 5½ to 6 in. 25.00 — 5½ to 6 in. 25.00 — 6 to 7 in. 35.00 — AILANTHUS glandulosa (Tree of Heaven). Very rapid growing tree. Large leaves. Thrives under adverse city conditions. 50 to 60 ft. 6 to 8 ft. 2.50 22.50 8 to 10 ft., 1¼ to 1½ in. 3.00 27.00 10 to 12 ft., 2 to 2½ in. 4.00 36.00 12 to 14 ft., 2½ to 3 in. 5.00 45.00		4.00	
2½ to 3 ft			
3 to 4 ft			
4 to 5 ft			115.00
AESCULUS hippocastanum (Horsechestnut). Large symmetrical tree. A profusion of white flowers on long panicles in May. 50 to 75 ft. 8 to 10 ft., 1½ to 2 in			
symmetrical tree. A profusion of white flowers on long panicles in May. 50 to 75 ft. 8 to 10 ft., 1½ to 2 in			
long panicles in May. 50 to 75 ft. 8 to 10 ft., 1½ to 2 in	AESCULUS hippocastanum (Horseche	estnut).	Large
8 to 10 ft., 1½ to 2 in	symmetrical tree. A profusion of what	nite flo	wers on
2 to 2½ in		5 00	
2½ to 3 in. 9.00 — 3 to 3½ in. 10.50 — 3½ to 4 in. 12.00 — 4 to 4½ in. 13.50 — 4½ to 5 in. 15.00 — 5½ to 6 in. 25.00 — 6 to 7 in. 35.00 — AILANTHUS glandulosa (Tree of Heaven). Very rapid growing tree. Large leaves. Thrives under adverse city conditions. 50 to 60 ft. 6 to 8 ft. 2.50 22.50 8 to 10 ft., 1½ to 1½ in. 3.00 27.00 10 to 12 ft., 2 to 2½ in. 4.00 36.00 12 to 14 ft., 2½ to 3 in. 5.00 45.00			
3 to 3½ in			
3½ to 4 in			
4 to 4½ in			
4½ to 5 in. 15.00 5 to 5½ in. 20.00 5½ to 6 in. 25.00 6 to 7 in. 35.00 AILANTHUS glandulosa (Tree of Heaven). Very rapid growing tree. Large leaves. Thrives under adverse city conditions. 50 to 60 ft. 2.50 6 to 8 ft. 2.50 22.50 8 to 10 ft., 1¼ to 1½ in. 3.00 27.00 10 to 12 ft., 2 to 2½ in. 4.00 36.00 12 to 14 ft., 2½ to 3 in. 5.00 45.00			
5 to 5½ in			
5½ to 6 in. 25.00 — 6 to 7 in. 35.00 — AILANTHUS glandulosa (Tree of Heaven). Very rapid growing tree. Large leaves. Thrives under adverse city conditions. 50 to 60 ft. 6 to 8 ft. 2.50 22.50 8 to 10 ft., 1¼ to 1½ in. 3.00 27.00 10 to 12 ft., 2 to 2½ in. 4.00 36.00 12 to 14 ft., 2½ to 3 in. 5.00 45.00	4½ to) in		
6 to 7 in			
AILANTHUS glandulosa (Tree of Heaven). Very rapid growing tree. Large leaves. Thrives under adverse city conditions. 50 to 60 ft. 6 to 8 ft			
id growing tree. Large leaves. Thrives under adverse city conditions. 50 to 60 ft. 6 to 8 ft			
verse city conditions. 50 to 60 ft. 6 to 8 ft	AILANTHUS glandulosa (Tree of Heav	en). V	ery rap-
verse city conditions. 50 to 60 ft. 6 to 8 ft		ives un	der ad-
8 to 10 ft., 1½ to 1½ in	verse city conditions. 50 to 60 ft.		
10 to 12 ft., 2 to 2½ in	6 to 8 ft		22.50
12 to 14 ft., 2½ to 3 in 5.00 45.00		3.00	27.00
12 to 14 ft., 2½ to 3 in	10 to 12 ft., 2 to $2\frac{1}{2}$ in		36.00
3 to $3\frac{1}{2}$ ft	12 to 14 ft., $2\frac{1}{2}$ to 3 in	5.00	45.00
	3 to 3½ ft	7.00	63.00

	Each	Per 10
ALNUS incana pendula (Weeping Ale	der). Gi	raceful.
drooping tree. Good green foliage. 2	O fr	,
*12 to 14 ft., 2½ to 3 in *3 to 3½ in	10.00	
*2 to 31/2 in	15.00	
*3½ to 4 in	20.00	
*4 to 5 in	25.00	
AMYGDALUS persica (Flowering Peach of double pink, red or white blosso). A pre	ofusion
of double pink, red or white blosse	ms befo	re the
leaves appear. 8 to 10 ft.		
3 to 4 ft	1.25	
4 to 5 ft	1.50	
5 to 6 ft	2.50	
6 to 7 ft	3.00	
7 to 8 ft	3.50	
, 10 0 200000000000000000000000000000000		
ARALIA spinosa (Devil's-walkingstick). Sered with thorns. Large foliage gives Clusters of white blossoms in Augudark purple berries. 18 to 20 ft.	tropical st, follow .75	effect. wed by
4 to 5 ft	.90	8.00
5 to 6 ft	1.25	10.00
6 to 8 ft	1.50	14.00
8 to 10 ft	2.00	17.50
10 to 12 ft	2.50	22.50
BETULA alba (European White Birch). tree with thin drooping branches. Be Does well in poor soil. 30 to 50 ft. 6 to 8 ft. 8 to 10 ft., 1 to 1½ in	2.50 3.50 4.00 6.00 7.50 10.00	22.50 32.50 37.00 54.00 72.50 90.00
R alba lacinista (Cutloof Wooning Bire	h) G=0	acf11
B. alba laciniata (Cutleaf Weeping Bird drooping tree. Suitable for lawn plan	n). Gra	.40 fe
6 to 8 ft	4 00	37.00
8 to 10 ft	5.50	52.50
10 to 12 ft	7.00	72.70
12 to 14 ft.	10.00	
B. lutea (Yellow Birch). Quick growing		
8 to 10 ft	3.50	32.50
10 to 12 ft	4.50	
B. populifolia (Gray Birch). Slender tree bark. 30 to 40 ft.	; grayish	white
8 to 10 ft.	2.75	25.00
10 to 12 ft., $1\frac{1}{2}$ to 2 in	3.50	32.50
2 to $2\frac{1}{2}$ in	5.00	47.50
CARPINUS betulus (European Hornbeslow growing tree. Smooth, gray barl	eam).	Bushy,
6 to 7 ft	3.00	JU It.
7 to 8 ft	4.00	
8 to 10 ft	6.00	
10 to 12 ft	8.00	
12 to 14 ft	10.00	
14 to 16 ft	12.00	
11 10 10 11	12.00	

		Per 10
CATALPA bignonioides nana (Umbrella	a Catalp	a). Top
grafted on straight ends, 4-6 ft. hig round head makes this a useful t	h. Symr ree for	netrical, formal
planting. 10 to 15 ft.		
4 to 6 ft. stems, 4-yr. head, Ex. Str.	3.00 4.00	
4 to 6 ft. stems, 5-yr. head, Ex. Str. 4 to 8 ft. stems (specimens)	5.00	
C. speciosa (Western Catalpa). Tall, rap		
Useful for seashore planting. 50-60	na-growi) ft	ng tree.
10 to 12 ft., $1\frac{1}{2}$ to 2 in	1.50	
2 to $2\frac{1}{2}$ in	2.50	22.50
$2\frac{1}{2}$ to 3 in	4.00	36.00
3 to 3½ in	5.00	45.00
3½ to 4 in 4 to 5 in	7.50 10.00	-
Very ornamental with its profusion		all tree. sy pink
flowers in early Spring. 5 to 6 ft	2.00	
6 to 8 ft	3.00	
CODNITIC A . 1 (WILL A .)	12	C 11
CORNUS florida (White-flowering Do	gwood3.	Small,
symmetrical tree with spreading or dant white flowers in early Spring.	Red be	erries in
Fall. 20 to 25 ft.		
2 to 3 ft	.90	8.00
3 to 4 ft	1.50	12.50
4 to 5 ft	2.00	17.50
5 to 6 ft	3.00	27.50
6 to 8 ft., heavy 8 to 10 ft., heavy	6.00 12.00	54.00 115.00
	20.00	180.00
12 to 14 ft	25.00	100.00
14 to 16 ft	30.00	
C 4	-1\ C-	1 1.
C. florida plena (Doubleflowering Dogwo it as Cornus Florida. Large double	oa). Sa:	me nab-
4 to 5 ft		110 WEI3.
C. florida rubra (Red-flowering Dogwo- type to Cornus florida. Profuse pin persistent than the white. 15 to 20	od). Sir ik flowe	nilar in rs more
*2 to 3 ft.	3.50	
*3 to 4 ft	5.00	
*4 to 5 ft	7.50	
*5 to 6 ft	10.00	
*6 to 8 ft	15.00	-
CRATÆGUS coccinea (Thicket Hawtho to 15 or 20 ft. with shiny bright gre	orn). Sn	nall tree
let fruit	en leave	es. Scar-
6 to 8 ft	4.50	
8 to 10 ft	6.00	
C. oxycantha (English Hawthorn). Small	11 slow-	arowina
tree. Sweet-scented, white flowers, f	ollowed	by red
fruit. 12 to 15 ft.		-, -54
4 to 5 ft	2.50	
5 to 6 ft	3.50	-
6 to 8 ft	5.00	
8 to 10 ft 10 to 12 ft	6.50 8.00	-
10 to 14 ft	0.00	-

CRATÆGUS—Continued

CKA I ÆGUS—Continued	
	Each Per 10
C (D. 11 E 1:	
C. oxycantha alboplena (Double English	
Clusters of double white flowers. Red	fruit. 15 ft.
5 to 6 ft	3.50 —
6 to 8 ft	5.00 —
8 to 10 ft	7.00 ——
C. oxycantha splendens (Pauls Double thorn). Abundant showy scarlet flower	ers. 12 to 15 ft.
3 to 4 ft	2.25
4 to 5 ft	3.00 27.50
5 to 6 ft	3.50 32.50
6 to 8 ft	6.00 —
8 to 10 ft	7.00 ——
FAGUS americana (American Beech). L	arge spreading
tree. Smooth gray bark is especiall	v attractive in
Winter. 80 to 90 ft.	,
* 6 to 8 ft	10.00 —
* 8 to 10 ft	15.00 —
*10 to 12 ft	20.00
*12 to 14 ft	25.00
	35.00 ——
F. sylvatica (European Beech). A tree close to the ground. Retains leaves r	branching very nearly all Win-
ter. 40 to 50 ft. *12 to 14 ft	40.00
*14 to 16 ft	50.00
F. sylvatica pendula (Weeping Beech).	A sturdy, pic-
F. sylvatica pendula (Weeping Beech). turesque tree with drooping branches ly to the ground. Lustrous green le 25 to 30 ft.	hanging near- aves in masses.
*10 to 12 ft	45.00 ——
*12 to 14 ft	60.00
*14 to 16 ft	75.00 ——
	100.00
	Beech). Low-
branching, symmetrical tree. Brigh	t, glossy, red-
dish-purple leaves. 40 to 50 ft.	
* 8 to 10 ft	40.00 ——
*10 to 12 ft	
*12 to 14 ft	60.00
*14 to 16 ft., specimens	70.00 —
*16 to 18 ft., specimens	80.00 ——
12 to 14 ft *14 to 16 ft., specimens* *16 to 18 ft., specimens* *18 to 20 ft., specimens* F sylvatica resonnaginata (Rose-pink	100.00 ——
metrical tree. Foliage has unusually i	osv-pink varie-
gations. 30 to 40 ft.	, 1
* 8 to 10 ft	50.00
*10 to 12 ft	60.00 ——
*12 to 14 ft	75.00 ——
*14 to 16 ft	85.00 ——
EDAVINITE amariana (WILL A.1.)	Panid gravina
FRAXINUS americana (White Ash). In native tree with clean, straight tr	capit growing,
moist soils. 70 to 80 ft.	unk. Good in
8 to 10 ft	2.00 18.00
10 to 12 ft	4.00 36.00
10 to 12 ft 12 to 14 ft., 2½ to 3 in	6.00
12 to 14 ft., 272 to 5 ln	8.00
$\frac{3}{3}$ to $\frac{3}{2}$ in	10.00
$\frac{372}{4}$ to $\frac{41}{2}$ in	
4 IO 4 2 ID.	14.00

	Each	Per 10
MAGNOLIA glauca (Sweetbay Magno shrub or small tree with glossy gre	lia). At	tractive
sweet-scented creamy white flowers. *3 to 4 ft	6.00	
MALUS atrosanguinea (Carmine Crab).	Small tr	ee hav-
ing a profusion of bright red blosso	ms. 12 to	o 15 ft.
4 to 5 ft	3.00	18.00 27.50
6 to 8 ft		37.50
M. coronarius (Wild Sweet Crab). Frag bloom.	grant ligl	nt pink
3 to 4 ft	1.50	13.50
4 to 5 ft	2.00 2.50	18.00 22.50
M. floribunda (Japanese Flowering Crab		
flowers which are pink in bud, cove attractive in Fall. Blossoms early	r the tree	e. Fruit
15 ft.	Spring.	12 10
4 to 5 ft	2.50	22.50
5 to 6 ft	3.00 4.00	27.50 37.50
M. ioensis plena (Bechtel Crab). Fragra blossoms. Late Spring. 12 to 15 ft.		
2 to 3 ft	1.75	
3 to 4 ft 4 to 5 ft	2.00 2.50	22.50
5 to 6 ft	3.50	32.50
6 to 8 ft	5.00	45.00
8 to 10 ft	7.00	
M. neidzwetzkyana (Red Vein Crab). pink flowers. 6 to 8 ft		e deep
8 to 10 ft	5.00	
10 to 12 ft	7.00	
M. sargenti (Sargent Crab). Pure white and dwarf. Small scarlet fruits h till Spring. Distinct.	ang on	ompact almost
3 to 4 ft 4 to 5 ft	1.50 2.50	
5 to 6 ft	3.00	
M. scheideckeri (Scheideckeri Crab). Do flowers. Large yellow fruit. 10 to 12	5 ft.	p pink
3 to 4 ft	1.50 2.50	22.50
5 to 6 ft	3.00	27.50
6 to 8 ft	4.50	42.50
MORUS alba pendula (Teas Weeping M weeping tree with dense growing being to the ground. 6 to 10 ft.	ranches	. Small droop-
4 to 6 ft. stems, 4-yr. head	5.00	
4 to 6 ft. stems, 5-yr. head	6.00	70.00
6-yr. head 7-yr. head	7.50 10.00	70.00 90.00
PAULOWNIA tomentosa (Royal Paulo	wnia). I	Rapidly
growing tree to 30 ft. Very large leads to 3½ in. cal.	12.00	
4 to 4½ in. cal	15.00	

	Per 10
PLATANUS orientalis (Oriental Plane). Ray	pid grow-
ing tree with wide spreading, symmetri	cal head.
Excellent tree for city planting as it withst	ands both
insect pests and city conditions. 70 to 60	36.00
13/4 to 2 in 5.00	0 45.00
$\frac{1}{4}$ to $\frac{2}{4}$ in. 6.0	0 54.00
insect pests and city conditions. 70 to 80 10 to 12 ft., 1½ to 1¾ in	0 63.00
$2\frac{1}{2}$ to 3 in	0
POPULUS candicans (Balm-of-Gilead Poplar	r). Rapid
growing tree; very vigorous and hardy. L	arge buds
are fragrant in the Spring. 50 to 60 ft. 10 to 12 ft	
10 to 12 ft. 2.0	
12 to 14 ft 2.5 2½ to 3 in 3.0	
$2\frac{1}{2}$ to 3 in	-
$3\frac{1}{2}$ to 4 in	
P. eugenei (Carolina Poplar). Very rapid gro	
Thrives in poor, dry soil. 60 to 75 ft.	willig tree.
6 to 8 ft. 1.2	5 10.00
8 to 10 ft., 1 to $1\frac{1}{2}$ in	
10 to 12 ft., $1\frac{1}{2}$ to 2 in	5 15.00
2 to $2\frac{1}{2}$ in. 2.50	
$2\frac{1}{2}$ to 3 in	
3 to $3\frac{1}{2}$ in	
P. nigra italica (Lombardy Poplar). Tall, na	rrow, up-
right tree, branching to the ground. 60 to	5 75 ft.
6 to 8 ft	
8 to 10 ft	
12 to 14 ft	
P. simoni (Simon Poplar). Small hardy tree.	
*6 to 8 ft 1.2	5 10.00
*8 to 10 ft2.00	
PRUNUS armeniaca siberica pendula (Weepi	ng Siber-
ian Apricot). Pendulous branches bearing	ig a pro-
fusion of attractive light pink flowers,	appearing
before the leaves.	_
6.5 ft. stem, 4-yr. head6.5	0 —
P. Beni Hagan. Large pink flowering cherry.	
4 to 5 ft. 4.00	
5 to 6 ft. 5.00	
6 to 7 ft	
P. blireana. Long slender branches bearing pur foliage. Semi-double flowers of apple blos	ple tinted
foliage. Semi-double flowers of apple blos	
4 to 5 ft	
P. cerasifera (Myrabalan Plum). Flowering pl	
soms white tinted pink.	um. Dios-
4 to 5 ft	0 —
P. cerasifera pissardi (Purple-leaf Plum). S	mall tree
P. cerasifera pissardi (Purple-leaf Plum). S with dark purple leaves and small, pin	kish-white
flowers. 12 to 15 ft.	
4 to 5 ft1.2	5 11.25
5 to 6 ft	
6 to 8 ft	0 27.00
P. cistena. Pink flowers; upright growing.	0
4 to 5 ft	
5 to 6 ft	U

PRUNUS—Continued

	Each	Per 10
P. Kanzan. Pink flowering Japanese Che	errv.	
4 to 5 ft	4.00	36.00
5 to 6 ft	5.00	45.00
7 to 8 ft	,	0,.00
P. Kofugen, Double pink flowering Japa	nese C	herry.
3 to 4 ft	2.00	
4 to 5 ft	2.50	
5 to 6 ft	3.50	
6 to 7 ft	5.00	
0 10 / 101	,,,,	
P. Onaden. Semi-double rose pink buds.	White	flowers.
4 to 5 ft	3.50	
5 to 6 ft	4.50	
6 to 8 ft	6.00	
0 10 0 111	0.00	
P. sieboldi pendula (Weeping Japanese C ful, weeping tree, completely cove blossoms in early Spring. 12 to 15 f *4 to 6 ft. stem, 2-yr. heads	red wi t. 2.50 5.00 7.00	th pink
P. Veitchi, J. H. Double pink flower Cherry.		apanese
3 to 4 ft	3.00	
4 to 5 ft	4.00	
PTELIA trifoliata (Common Hoptree). headed tree to 20 ft. 6 to 7 ft	1.50 1.75	
8 to 10 ft	2.00	
QUERCUS palustris (Pin Oak). Symme al tree with graceful, drooping br. deeply cut. Fine lawn or street tree. *10 to 12 ft., 1½ to 2 in		
*2 to 2 in	7.70	
*21/ 2 :	12.00	
*2 10 3 In	15.00	
*21/ += 4 :	19.00	
*4 +4 1/ :	22.00	
*41/ 5 :	26.00	
ROBINIA pseudoacacia (Common Locu	st). Ta	ll, rapid
growing tree. Fragrant white flowers	60	try Sum-
R to 10 ft 11/2 to 2 :	2 75	70 It.
0 to 10 it., 172 to 2 in	2./2	12.00
21/ 2 :	4.7U	52.50
2 21/2 :-	5.20	72.70
mer. Thrives under city conditions. 8 to 10 ft., 1½ to 2 in	7.00	
SALIX Rabylonica (Babylon Weeping	Willow	Long
graceful drooping branches. Thrive soil, but particularly appropriate for	s in a	ny good side.
50 to 60 ft. *6 to 8 ft	2.00	
*8 to 10 ft	2.00 3.00	

SALIX—continued

Each Per 10

S. caprea (Pussy Willow). Bush which early Spring effect. Thrives in ar to 20 ft.	is attract ny good s	rive for soil. 15
*6 to 8 ft	1.25	
*8 to 10 ft	2.00	
S. elegantissima (Thurlow Weeping spreading tree of drooping habit.	Willow).	Wide
* 8 to 10 ft		
*12 to 14 ft *14 to 16 ft		
'14 to 10 rt,	. 9.00	
S. pentandra (Laurel Willow). Shining leaves; valuable for seashore plan	ting.	c green
6 to 8 ft		
8 to 10 ft		
10 to 12 ft	4.50	
S. vitellina (Golden Willow). The bris especially effective in Winter. 25 *5 to 6 ft	to 30 ft.	n bark 11.00
*6 to 8 ft	1.75	16.00
SORBUS aucuparia (European Mountai size tree. Brilliant orange-scarlet be der or lawn tree. 25 to 30 ft.	erries. Go	od bor-
6 to 8 ft.	1.50	12.00
8 to 10 ft., 1 to $1\frac{1}{2}$ in	2.00	18.00
10 to 12 ft., $1\frac{1}{2}$ to 2 in	2.75	25.00
12 to 14 ft., 2 to $2\frac{1}{2}$ in	3.50	33.00
S. quercifolia (Oak-leaf Mountain Ash) similar to type in general character, leaves resembling that of the oak.	. A hybri , but with	d form larger
leaves resembling that of the oak.		
6 to 8 ft	. 2.00	
8 to 10 ft	2.50	
TILIA americana (American Linden) topped tree. Large leaves. Suitablawn planting. 60 to 70 ft. *1½ to 2 in	la for et	round- reet or
$*1\frac{1}{2}$ to 2 in	5.00	
*2 to 2½ in	6.50	
$*2\frac{1}{2}$ to 3 in	. 10.00	
$^{*}2\frac{1}{2}$ to 3 in $^{*}4\frac{1}{2}$ to 5 in	25.00	
*5 to 5½ in	. 35.00	
*7 to 8 in	60.00	
*8 to 10 in	75.00	
T. cordata (Littleleaf European Linder ing, symmetrical tree. Small thin greenish blossoms. 50 to 60 ft. *Specimen, 2½ to 3 in	leaves. F	g-grow- ragrant

TILIA—Continued

								_
			_			_		Per 10
T.		imean	L	inde	n).	Deep	green,	glossy
	leaves. Good							
	*Specimen,	3	to	31/	2 i n .		15.00 18.00	
	*Specimen,	3 ½ 4	to	4 1/	ın.		18.00	
	*Specimen, *Specimen,	4 1/2	to	4 %	2 1 n .		22.50 27.50	
	Specimen,	772	ιο	,	111.		27.70	
T.	heterophylla (Beetre	e L	inde	en).	A ha	ndsome	Linden
	with leaves of beneath. 50	dark,	shi	ny	gree	n abo	ve and	silvery
	beneath. 50 i	o 60	ft.					
	*Specimen	$4\frac{1}{2}$	to	5	in.		30.00	
	*Specimen,	5 6	to	6			40.00	
	*Specimen,	6	to	7	in.		50.00	
т		1 T	:	J \	р.			-1
1.	tomentosa (Si							
	Leaves silvery	gray	· u	nuer	neat	.11. 00	15 00	11.
	*Specimen,	21/	to	3 1/2	2 in.		15.00	
	*Specimen,	> 7/2 * 4	to	41/	in.		20.00 25.00 30.00 35.00	
		*/1/	to	4 7 2	in.		20.00	
		*5	to	51/	: in		35.00	
		*51/2	to	6	in.		40.00	
		,,_	•••	•				
т.	platyphyllos (H	Bigleaf	E	uron	ean	Linde	n). Lar	ge, vig-
	orous growing	tree.	Lis	ght s	reer	folia	ge. 60 to	70 ft.
	*12 to 14 ft.	. 4	to	41/2	in.		20.00	
	*12 to 14 ft.	*5½	to	6	in.		40.00	
T.	vulgaris (Europ	ean L	ind	len).	Vis	gorous	growing	g. Com-
	pact, symmet	rical	tree	. F	ragra	ant flo	wers in	June.
	60 to 70 ft.							
	* 6 to 8 ft.						4.50	42.50
	*10 to 12 ft.	21/2	to	3	in.		15.00	
	*Specimen,	3 3½	to	$3\frac{1}{2}$	in.		20.00	
	*Specimen,	$3\frac{1}{2}$	to	4	in.		25.00	
	*Specimen,	4	to	4 1/2	in.		30.00	
	*Specimen,	4 1/2	to	5	ın.		35.00	
	*Specimen, *Specimen, *Specimen,	51/	to	2 1/2	in.		40.00	
	*Specimen,	5 5½ 6	to	6 7	in.		45.00 55.00	
	*Specimen,	O	ιο	/	111.		77.00	
T IT	MUS american	- (Δ		.:	EI.	~) T	11 cum	notrical
OL	tree graceful	ia (A:	mer	ing	God	nd stra	all Syllii	80 to
	tree, graceful 100 ft.	iy uic	юр	1116.	000	ou stre	et tree.	00 10
	* 8 to 10 ft.	1	+0	11/2			2.75	25.00
	0 10 10 11.,	*11/2	to	2			4.50	40.00
		*2	to	21/2			6.50	60.00
		*21/2	to	3			8.00	75.00
		*3	to	3 1/2			9.50	
		*4	to	5			25.00	
U.	Americana Mol						variety	. Good
	foliage and sy	mmet	rica	al gr	owtł	٦.		
	8 to 10 ft.,						4.00	36.00
	10 to 12 ft.,	$1\frac{1}{2}$ t	0				5.00	48.00
	12 to 14 ft.,		0 3	2	in		6.00	
		2 t	0 2	Z ½	in		8.00	

Each Per 10

ULMUS—Continued

U. Campestris (English Elm). Round topped, densely branched tree.
* 8 to 10 ft 6.00 ——
*10 to 12 ft
U. pumila (Asiastic Elm). A vigorous grower of good habit. Forms dense symmetrical head.
$1\frac{1}{2}$ to 2 in. 5.00 45.00
2 to $2\frac{1}{2}$ in
2½ to 3 in 7.50 —
Deciduous Shrubs

Deciduous Shr	ubs	
Hardy, flowering shrubs develop mor any class of trees, and are, therefore, in filling a new lawn where it is desirable to to make a show as quickly as possible. It is our aim to produce everything in bery that is useful, hardy, and worthy of	ndispensal o get som flowering	ble for ething shrub-
ABELIA grandiflora (Glossy Abelia). Glossy green foliage; abundant pin bloom continuously from July to f 12 to 18 in	k flowers rost. 3 to \$.60	shrub. which o 4 ft. \$ 5.40
ACANTHOPANAX pentaphyllum (I Quick growing shrub, graceful ard dark green foliage. 7 to 8 ft.	Bush A	ralia). inches;
2 to 3 ft		3.75 4.50
4 to 5 ftTransplanted specimens.	.75	6.00
4 to 5 ft	1.80 2.00	16.00 18.00
AMELANCHIER canadensis (Downy St flowers in early Spring before leave 15 ft.	es appear.	
2 to 3 ft	.75	
AMYGDALUS communis (Flowering ble-flowering blooms before leaves; white. 8 to 10 ft.	red, pir	. Dou- nk and
2 to 3 ft		
ARONIA arbutifolia (Red Chokeberry) attractive for its bright red berries 3 to 4 ft	. 6 to 8 1.25	
A. melanocarpa (Black Chokeberry). V May; black berries. 8 to 10 ft.		
2 to 3 ft	.75 .90	6.50 7.00

	5,	
171F1 1 (C1 A 1)	Each :	
AZALEA gandavensis (Ghent Azalea) and yellow blossoms. May-June.	.Orange,	pink,
*15 to 18 in	2.75	25.00
A. kaempferi (Torch Azalea). Orange-re	d to nin	le flour
ers, in May. 4 to 5 ft.	u to pin	K HOW-
*18 to 24 in		37.50
*2 to 2½ ft *2½ to 3 ft	5.00	47.50
*2½ to 3 ft*3 to 4 ft	6.00 9.00	
A. mollis (Chinese Azalea). Large, or		11
flowers. May-June. 4 to 5 ft.	ange an	ia rea
*12 to 15 in	2.00	18.00
*15 to 18 in *18 to 24 in	3.00	27.00
*18 to 24 in*2 to 2½ ft	4.00 5.50	
_ 00 _ / 2 10		
A. pontica (Pontica Azalea). Flowers v. to red. 6 to 8 ft.	ary from	white
*12 to 15 in	2.00	18.00
*15 to 18 in	3.00	27.00
*18 to 24 in*2 to 2½ ft	4.00 5.50	36.00 50.00
*2½ to 3 ft	7.00	
A. yodogawa (Yodogawa Azalea). Do		sv-lilac
flowers, spotted with purple. Profuse	bloome	r. 3 to
4 ft.		
*18 to 24 in	4.00	
*2 to 2½ ft *2½ to 3 ft	5.00 7.00	
*3 to 3½ ft	9.00	
NATIVE AZALEAS		
A. arborescens (Sweet Azalea). Fragran	t white	flowers
in June. Autumn foliage, bright re-		
12 to 18 in	1.75	
18 to 24 in 2 to 2½ ft	2.50 3.00	
2 to 2 72 ft	3.50	
		1 . 1
A. calendulacea (Flame Azalea). A morange-red blossoms in June. 8 to 10	nass of	bright
18 to 24 in	3.00	
2 to 2½ ft	3.50	
$2\frac{1}{2}$ to 3 ft	4.50	
3 to 4 ft	6.00	
A. canescens (Piedmont Azalea). Fragra	ant, ligh	t pink
flowers. June. 4 to 5 ft. 18 to 24 in	2.75	25.00
18 to 24 in 2 to 2½ ft	3.50	27.00
2½ to 3 ft	4.50	
A. nudiflora (Pinxterbloom). Sweet-scen	tad door	nink
flowers. June. 6 to 8 ft.	ica, ueej	pink
12 to 18 in	2.25	20.00
18 to 24 in	2.75	25.00
2 to 2½ ft	3.25 4.00	30.00 37.50
2½ to 3 ft	4.50	

AZALEA—Continued

AZALLA—Continued		
	Each	Per 10
A. viscosa (Swamp Azalea). Fragrant v	hite flo	wers in
Tuly, Likes moist situation, 4 to 5 f	t.	
12 to 18 in	1.25	11.00 14.00
2 to 2½ ft	2.25	14.00
2½ to 3 ft		
BERBERIS thunbergi (Iananese Barbert	v). Low	hedge
plant or for masses; scarlet berrie Autumn coloring. 4 to 5 ft.	s and b	rilliant
Autumn coloring. 4 to 5 ft.		
*12 to 15 inPer 100 15.00	.20	1.80
*18 to 24 in. Per 100 20.00	.35	2.50
*12 to 15 in Per 100 15.00 *15 to 18 in Per 100 16.50 *18 to 24 in Per 100 20.00 *24 to 30 in Per 100		4.00
B. thunbergi atropurpurea (Purpleleaf	Tapanes	se Bar-
berry). Similar in habit to the the foliage all Summer. 4 to 5 ft.	ınbergi.	Purple
12 to 15 in	50	
15 to 18 in.	.75	6.75
12 to 15 in	.90	8.50
B. thunbergi minor (Box Barberry). C Japanese Barberry. Excellent for hedge. 2 to 3 ft.	formal	dwarf
10 to 12 in	.40	3.60
12 to 15 inPer 100 40.00	.50	4.50
B. vulgaris (European Barberry). Vig shrub. Small yellow flowers in May in clusters. 7 to 8 ft.	gorous, Dull re	upright ed fruit
2 to 3 ft	.50	
3 to 4 ft	.60	
4 to 5 ft		
B. vulgaris atropurpurea (Purple Bar in habit to Vulgaris. Purple foliage.	berry).	Similar
in habit to Vulgaris. Purple foliage.	7 to 8	ft.
2 to 3 ft	.50	6.00
2 to 3 ft	1.00	9.00
BUDDLEIA davidi veitchiana (Veitch		
Gray green foliage and long spike	Duttern s of de	yousn). en lilac
A T . C . 1 7 . 0 (٠.	
2 to 3 ft	.45	4.00
10 to 5 ft.	.60	5.40
4 to 5 ft	.90	8.00
CALYCANTHUS floridus (Sweetshrub). good foliage. Reddish-brown, sweet- June to September. 4 to 5 ft.	scented	flowers.
2 to $2\frac{1}{2}$ ft	.60	5.40 6.30
$2\frac{1}{2}$ to 3 ft.	.70	6.30
2 to 2½ ft	1.00	6.30 7.20
CHIONANTHUS virginica (White Frium upright shrub. Heavy, rich, green flowers. 15 to 18 ft.	ngetree). 1 foliage	Large, e. Lacy
2 to 3 ft	1.25	
3 to 4 ft	1.75	

	Each	Per 10
CLETTIDA aladia (Summanum)		
CLETHRA alnifolia (Summersweet). shrub, thriving in damp, shady sp fragrant white flowers, July-Septem 18 to 24 in	iviediui Sa	m size
fragrant white flowers July-Sentem	her 7 t	o 8 ft
18 to 24 in.	.50	4.50
2 to 3 ft	.75	6.50
3 to 4 ft	.90	6.50 8.50
4 to 5 ft	1.25	
CORNUS alba (Tartarian Dogwood). Is	regular	spread-
ing shrub. Bright red bark which	is very	attrac-
ing shrub. Bright red bark which tive in the Winter border. 8 to 10 f	t. ´	
2 to 3 ft.	.50	4.00
) to 4 It	.00	7.00
C. alba spaethi (Yellow-leaved Dogwood	d). Yell	ow and
green foliage. 12 to 15 ft.		
2 to 3 ft.	.65	5.00
3 to 4 ft 4 to 5 ft	.75	6.50
4 to 5 ft	1.00	9.00
C. alternifolia (Pogoda dogwood). Brand	hes in l	norizon-
tal tiers. Blue-black fruit.		
2 to 3 ft	.75	6.00
3 to 4 ft		9.00
4 to 5 ft		10.00
C. sanguinea (Bloodtwig Dogwood). Upr	ight, bri	ght red
branches. Blue-black berries, 12 to	15 ft.	
2 to 3 ft	.50	4.50
3 to 4 ft	.75	6.00
4 to 5 ft	1.00	
CRATAEGUS, Hawthorn. (See Decidu	ous Tre	es).
CORYLUS avellana (European Filbert)		
shrub which bears its nuts abundan	tly in A	utumn.
3 to 4 ft	1.25	11.00
4 to 5 ft	1.50	13.50
5 to 6 ft		
CYDONIA japonica (Flowering Qui growing shrub, useful in masses or	nce). I	Medium
growing shrub, useful in masses or	hedges.	Masses
of scarlet flowers in May 4 to 5 f	t	
1½ to 2 ft	.50	4.50
2 to 3 ft	.75	6.75
1 ½ to 2 ft	1.00	9.00
DEUTZIA gracilis (Slender Deutzia)	. Dwarf	f. Pure
white flowers cover the plant. May	3 ft.	
white flowers cover the plant. May. 12 to 15 in	.40	3.50
15 to 18 in	.50	
D. Iemoinei (Lemoine Deutzia), Large	. white	flowers
in June. 4 to 5 ft. 2 to 3 ft	,	
2 to 3 ft	.50	4.50
3 to 4 ft.	.75	
D. scabra candidissima (Snowflake Deu	tzia). G	raceful,
vigorous growing shrub. Double w	hite flo	wers in
June. 9 to 10 ft.		
2 to 3 ft	.45	4.00
3 to 4 ft.	.55	4.50
4 to 5 ft	.75	6.50
5 to 6 ft	1.25	11.00
D. scabra crenata fl. pl. (Double Pink	Deutzia). Blos-
soms white tinted with pink. June. 6	to 8 ft	
2 to 3 ft	.50	4.00
3 to 4 ft	.60	5.50
4 to 5 ft	.75	6.50
5 to 6 ft	1.25	11.00

DEUTZIA—Continued

DEUTZIA—Continued		
	Each	D. 10
- 4 4 - 4 - 4 - 4 - 4		
D. scabra, Pride of Rochester (Pride of vigorous grower. White flowers tin	Rochester). Tall,
vigorous grower. White flowers tin	ged pink	. June.
9 to 10 ft		
2 to 3 ft	.50	4.00
3 to 4 ft	.60	5.00
4 to 5 ft		6.50
ELAEAGNUS angustifolia (Russia		
green leaves; yellow blossoms and fi	10	30 fr
green leaves; yellow blossoms and fi	uit, 10 to	20 It.
3 to 4 ft	./)	
4 to 5 ft		
5 to 6 ft	1.25	
6 to 8 ft		
ENKIANTHUS campanulata (Redvei Charming ornamental shrub. Abund	n Enkia	nthus).
Charming ornamental shrub. Abunc	lant pale	orange
flowers in early Spring	idaa paas	orange
flowers in early Spring.	2.00	
2 to 2½ ft	3.00	
	4.00	
2½ to 3 ft	4.00	
EUONYMUS alatus (Winged Euonym		
corky bark. Attractive crimson A	utumn co	loring.
Makes fine specimen 0 to 10 ft		Ü
2 to 3 ft.	1.00	9.00
3 to 4 ft	1.50	13.50
1 to 5 ft	2.25	20.00
2 to 3 ft	2.27	27.50
) to 0 It	3.00	
E. americanus (Brook Euonymus). Er	ect shrub	. Pink
and vellow fruit. 7 to 8 ft.		
2 to 3 ft	.75	6.50
and yellow fruit. 7 to 8 ft. 2 to 3 ft	1.00	9.00
FORGETTIA : 42 /D 1 F	1:00	
FORSYTHIA intermedia (Border Fo	rsythia).	Bright
yellow flowers in early Spring before	e leaves	unfold.
6 to 8 ft.		
2 to 3 ft	.50	4.00
3 to 4 ft	.60	5.00
3 to 4 ft	.80	
F. suspensa (Weeping Forsythia). Gra	coful de	coning
F. suspensa (Weeping Forsythia). Grabranches. Attractive for planting	benle en	Long
over retaining wall. 4 to 5 ft.	danks or	nang-
over retaining wall. 4 to 3 ft.	50	4.50
over retaining wall. 4 to 5 ft. 2 to 3 ft.	.50	4.50
J 10 4 11.	.//	6.50
F. s. fortunei (Fortune's Forsythia). As	rching br	anches.
Bright yellow flowers early in Spri 2 to 3 ft	ng. 7 to	8 ft.
2 to 3 ft	50	4.50
3 to 4 ft	.75	7.70
4 to 5 ft.		
5 to 6 ft	1.00	
F. viridissima (Greenstem Forsythia).	Strong-g	rowing,
upright habit, thick, dark green lea	ves; flowe	rs later
than other varieties. 7 to 8 ft.	•	
2 to 3 ft	.50	4.50
3 to 4 ft		6.00
4 to 5 ft		
	1. 75.11	1 1
HAMAMELIS virginiana (Witch-haze	1). Iail	shrub.
Yellow flowers in November. 12	to 15 ft.	
2 to 3 ft		6.50
3 to 4 ft	1.00	8.00
4 to 5 ft		
T 10 / 11	1.50	
5 to 6 ft		

		Per 10
HIBISCUS syriacus (Shrub-althea). T shrub, suitable for masses, hedges c ing. Blooms in late Summer. 10 to	r forma	ll-known al shear-
	12 11.	
H. s. amplissima. Double rosy-red. 4 to 5 ft	1.00	
H. s. Boule de Feu. Double red.	.50	4.50
3 to 4 ft	.75	
4 to 5 ft	1.00	
H. s. Jeanne d'Arc. Double White.		
18 to 24 in	.40	3.60
2 to 3 ft	.50	4.50
3 to 4 ft	.75	7.00
4 to 5 ft	1.00	
H. s. Lady Stanley. White shaded red.		
2 to 3 ft	.50 .75	4.50 6.75
	.//	0.77
H. s. meehani. Variegated foliage.	1.00	0.00
3 to 4 ft	1.00 1.25	9.00 11.00
4 to 5 ft	1.50	11.00
5 to 6 ft	2.00	
H. s. paeoniaeflora. White with cherry		
2 to 3 ft	.50	
3 to 4 ft	.75	
4 to 5 ft	1.00	
H. s. rosea plena. Double red. 3 to 4 ft	.75	
H. s. rubra plena. Double red.	.,,	
18 to 24 in	.40	3.50
2 to 3 ft		4.50
3 to 4 ft		
H. s. totus albus. Single white.		
3 to 4 ft	.75	6.50
4 to 5 ft	1.00	9.00
Hibiscus (Tree form Althaea). In vari	ety. Ve	ry large
3 to 5 ft. stems	5.00	
HYDRANGEA arborescens grandiflora drangea). Large, pure white flowers, in border or mass planting. 4 to 5 to 3 ft	(Smoo	oth Hy- uly. Use
in border or mass planting. 4 to 5	ft.	4.50
2 to 3 ft	.50	5.40
77 1 1 1 1 (0 1 17 1	.00	16.1
H. opuloides otaksa (Otaksa Hydrangea Hydrangea; blossoms pink to blue. 18 to 24 in	3 to 4	ft.
2 to 3 ft	3.50	
H. paniculata grandiflora (Peegee). Larg in August. 8 to 9 ft.		blooms
2 to 3 ft	.50	4.00
3 to 4 ft	.60	
H. paniculata grandiflora. Tree form.		
3 to 4 ft	1.50	14.00
4 to 5 ft	2.00	D ===
	Each	Per 10

Each Per 10
HEY courses (Finatooth Holly) Symmetrical along anger
ing shrub. Small, bright red berries cover each twig, remaining until Midwinter. 5 to 6 ft. 2 to 3 ft
twig, remaining until Midwinter. 5 to 6 ft.
2 to 3 ft 3.50 32.50
3 to 4 ft 4.50 42.50
4 to 5 ft
I. verticillata (Winterberry). Bright red berries per
sisting to Midwinter Prefers majet soil 6 to 8 ft
2 to 3 ft
3 to 4 ft 100 900
4 to 5 ft
5 to 6 ft 2.00 —
6 to 8 ft 2.50 —
KOLKWITZIA amabilis (Beauty Bush). A handsome
new shrub from Korea, making long sprays of
graceful foliage and completely buried in delicate
nink flowers
2 to 3 ft 2 00 18 00
3 to 4 ft 3.00 27.00
2 to 3 ft
Golden yellow flowers. June. 20 to 25 ft.
2 to 3 ft 75
2 to 3 ft
I ECDEDEZA 1:-1 (Cl. 1. P1-1) Cl. 1.
LESPEDEZA bicolor (Shrub Bushclover). Slender graceful shrub. Clover-like foliage. Rose and white
flowers in August. 6 to 8 ft. 4 to 5 ft
5 to 6 ft 150 1250
5 to 6 ft. 1.50 12.50 6 to 8 ft. 2.50
2.70
IICLISTRIBA (IL. (IL. D. D. L.) A
LIGUSTRUM ibota (Ibota Privet). A compact shruh
having good foliage. Abundant black berries in
having good foliage. Abundant black berries in
having good foliage. Abundant black berries in
having good foliage. Abundant black berries in Fall. 9 to 10 ft. 2 to 3 ft
having good foliage. Abundant black berries in Fall. 9 to 10 ft. 2 to 3 ft
having good foliage. Abundant black berries in Fall. 9 to 10 ft. 2 to 3 ft
having good foliage. Abundant black berries in Fall. 9 to 10 ft. 2 to 3 ft
having good foliage. Abundant black berries in Fall. 9 to 10 ft. 2 to 3 ft
having good foliage. Abundant black berries in Fall. 9 to 10 ft. 2 to 3 ft
having good foliage. Abundant black berries in Fall. 9 to 10 ft. 2 to 3 ft
having good foliage. Abundant black berries in Fall. 9 to 10 ft. 2 to 3 ft
having good foliage. Abundant black berries in Fall. 9 to 10 ft. 2 to 3 ft
having good foliage. Abundant black berries in Fall. 9 to 10 ft. 2 to 3 ft
having good foliage. Abundant black berries in Fall. 9 to 10 ft. 2 to 3 ft
having good foliage. Abundant black berries in Fall. 9 to 10 ft. 2 to 3 ft
having good foliage. Abundant black berries in Fall. 9 to 10 ft. 2 to 3 ft
having good foliage. Abundant black berries in Fall. 9 to 10 ft. 2 to 3 ft
having good foliage. Abundant black berries in Fall. 9 to 10 ft. 2 to 3 ft
having good foliage. Abundant black berries in Fall. 9 to 10 ft. 2 to 3 ft
having good foliage. Abundant black berries in Fall. 9 to 10 ft. 2 to 3 ft
having good foliage. Abundant black berries in Fall. 9 to 10 ft. 2 to 3 ft
having good foliage. Abundant black berries in Fall. 9 to 10 ft. 2 to 3 ft
having good foliage. Abundant black berries in Fall. 9 to 10 ft. 2 to 3 ft
having good foliage. Abundant black berries in Fall. 9 to 10 ft. 2 to 3 ft
having good foliage. Abundant black berries in Fall. 9 to 10 ft. 2 to 3 ft
having good foliage. Abundant black berries in Fall. 9 to 10 ft. 2 to 3 ft
having good foliage. Abundant black berries in Fall. 9 to 10 ft. 2 to 3 ft

LIGUSTRUM—Continued

Each	Per	10	Per	100
------	-----	----	-----	-----

Each Per 10 Per 100
L. ovalifolium nana (Lodense Privet). Dense, compact and dwarf. Excellent compact hedge for gardens. 2 to 3 ft.
12 to 18 in
18 to 24 in
2 to 2½ ft
Each Per 10
18 to 24 in. specimens 1.50 14.00 2 to 2½ ft. specimens 2.00 18.00
10 to 24 in. specimens 1.50 14.00 2 to $2\frac{1}{2}$ ft. specimens 2.00 18.00 $2\frac{1}{2}$ to 3 ft. specimens 2.50 22.50
272 to 3 it. specimens 2.70 22.70
LONICERA fragrantissima (Winter Honeysuckle). Slightly drooping habit. Fragrant white flowers in May. 6 to 8 ft.
2 to 3 ft
3 to 4 ft
4 to 5 ft
L. morrowi (Morrow Honeysuckle). Wide spreading branches; flowers white. May-June. Bright red berries. 7 to 8 ft.
2 to 3 ft
3 to 4 ft
4 to 5 ft
5 to 6 ft
L. ruprechtiana (Manchurian Honeysuckle). Tall bush,
white flowers. Orange-red fruit. 8 to 9 ft.
white flowers. Orange-red fruit. 8 to 9 ft. 2 to 3 ft
3 to 4 ft
4 to 7 ft
5 to 6 ft
L. tatarica (Tatarian Honeysuckle). Symmetrical shrub.
Abundant pink flowers and red fruit. 9 to 10 ft.
2 to 3 ft
3 to 4 ft
L. tatarica alba (White Tatarian Honeysuckle). Similar to preceding, with white flowers. 9 to 10 ft.
2 to 3 ft
3 to 4 ft
5 to 6 ft
LYCIUM barbarum (Matrimony-vine). Spreading shrub suitable for banks or retaining walls. Purple flowers in June. Red fruit. 10 to 12 ft. 3 to 4 ft
4 to 5 ft 1.00 —
MYRICA carolinensis (Northern Bayberry). Good, rich green foliage. Gray berries in clusters along
rich green foliage. Gray berries in clusters along
the stem. Does well in poor or sandy soils.
18 to 24 in
2 to 2½ ft
2/2 (0) 1(,

MYRICA—Continued

1711 KTG/ 1 — Collimated		
	Each	Per 10
M. cerifera (Bayberry). Useful in sand	ly soil.	Good
foliage plant. 2 to 2½ ft	76	7.00
2 to 2½ ft	.75 1.00	7.00 9.00
3 to 4 ft	2.00	18.00
4 to 5 ft	3.00	
5 to 5 ft	4.00	
6 to 8 ft	5.00	
PHILADELPHUS coronarius (Sweet Erect shrub. Fragrant white flowers	Mocko in Tune	range).
10 ft.		
2 to 3 ft	.40	3.60
3 to 4 ft.	.50	4.50
4 to 5 ft 5 to 6 ft	.75 .90	6.00
,	.90	
Transplanted specimens.		
5 to 6 ft 6 to 7 ft	1.75 2.25	15.00 20.00
,		
P. coronarius foliis aureis (Golden Mocko type. Golden leaves. 4 to 5 ft.	range).	Dwarr
12 to 18 in.	.75	6.00
18 to 24 in	1.00	9.00
P. falconeri (Star Mockorange). Shrub	with s	slender.
arching branches. Fragrant white fl. 7 to 8 ft.	owers in	n June.
2 to 3 ft	.50	4.50
3 to 4 ft	.60	5.00
4 to 5 ft	.75	6.00
5 to 6 ft	.90	
Transplanted specimens.		
5 to 6 ft	1.75	15.00
6 to 7 ft	2.25	20.00
7 to 8 ft	2.75	25.00
P. gordonianus (Gordon Mockorange).	Free bl	ooming
shrub; white flowers in July. 10 to 12		4.50
2 to 3 ft	.50 .60	4.50 5.00
4 to 5 ft	.75	6.00
5 to 6 ft	.90	8.00
Transplanted specimens.		
5 to 6 ft	1.75	15.00
6 to 7 ft	2.25	20.00
7 to 8 ft	2.75	25.00
P. grandiflorus (Big Scentless Mockorang large white flowers in June. 8 to 10	e). Ta ft.	ll, very
2 to 3 ft	.35	3.00
3 to 4 ft	.50	4.00
4 to 5 ft	.75	6.00
5 to 6 ft	.90	7.00
Transplanted specimens. 5 to 6 ft	1 75	15.00
6 to 7 ft	1.75 2.25	15.00 20.00
7 to 8 ft	2.75	
8 to 10 ft	3.50	

PHILADELPHUS—Continued

Eac	h Per 10
P. nepalensis (Nepal Mockorange). Erect shi	
flowers in June. 10 to 12 ft.	, unito
flowers in June. 10 to 12 ft. 2 to 3 ft	0 4.00
3 to 4 ft	
4 to 5 ft	5 6.00 0 7.50
) to 6 ft	0 7.50
HYBRID MOCKORANGE	
PHILADELPHUS Avalanche (Avalanche Mod	ckorange).
Tall, graceful shrub. White blossoms	in June.
8 to 10 ft. 2 to 3 ft	5.50
3 to 4 ft	
P. lemoinei (Lemoine Mockorange). Compact	nlant with
spreading branches. Slightly fragrant wh in abundance. June. 5 to 6 ft. 2 to 3 ft	ite flowers
in abundance. June. 5 to 6 ft.	
2 to 3 ft	5 6.00
P. lemoinei erectus (Juno Mockorange). Mor	e compact
than Lemoinei, but similar otherwise. Ju 10 ft.	ine. 8 to
2 to 3 ft	5 6.00
3 to 4 ft	0 7.50
P. Mont Blanc (Dwarf Mockorange). Very	fragrant
P. Mont Blanc (Dwarf Mockorange). Very white blossoms in profusion. June. 3 ft 2 to 3 ft	. Ilagiani
2 to 3 ft	0 5.00
) to 4 It	, —
PHYSOCARPUS opulifolius (Common Nieba	rk). Erect,
vigorous shrub. White flowers in July. 9 2 to 3 ft	to 10 ft.
2 to 3 ft	0 4.50
) to + It	0 5.00
5 to 6 ft	5 6.00
Transplanted specimens.	
4 to 5 ft 1.5	0 14.00
5 to 6 ft	
6 to 7 ft2.5	
P. opulifolius aureus (Goldleaf Ninebark) flowers; showy yellow foliage. 9 to 10 ft 2 to 3 ft	. White
2 to 3 ft	0 3.50
3 to 4 ft	0 4.50
4 to 5 ft	
PRUNUS. (Also see Trees.)	
P. maritima (Beach Plum). Small white flower Purple fruit. Good for sandy soil of	ers. April. seashore
2 to 2½ ft	5 —
	0 —
P. pissardi. (See Deciduous Trees.)	
P. triloba (Single flowering Plum). A pro	ofusion of
single pink flowers in early Spring before	leaves.
4 to 5 ft	0 14.00

PRUNUS—Continued

Each Per	10	
P. triloba plena (Double-flowering Plum). A profus of double pink flowers in early Spring before lear	ves.	
7 to 8 ft.		
	.00	
	.00	
	.00	
with slender branches. White flowers and bri	rub aht	
	giii	
3 to 4 ft 4.50		
4 to 5 ft	—	
5 to 6 ft	—	
6 to 7 ft 9.00 —	_	
RHODOTYPOS kerrioides (Jetbead). Good bor	der	
shrub. Single white flowers in June. Shining bl berries all Winter. 4 to 5 ft.		
berries all Winter. 4 to 5 ft.		
	.50	
3 to 4 ft	.40	
4 to 5 ft 1.00 —		
RHUS canadensis (Fragrant Sumac). Irregu spreading habit. Attractive red fruit in June. B	lar,	
spreading habit. Attractive red fruit in June.	ril-	
liant red and orange Fall foliage. 4 to 5 ft. 3 to 4 ft	00	
4 to 5 ft		
R. cotinus (Smoke Tree). Very fine, feathery purpl flowers. July. Brilliant Autumn coloring. 10 12 ft.	to	
12 ft. 18 to 24 in	—	
3 to 4 ft	—	
, , , , , , , , , , , , , , , , , , , ,		
R. glabra (Smooth Sumac). Crimson fruit in clusted Useful in poor soils. 10 to 12 ft. 4 to 5 ft		
	.00	
5 to 6 ft	.00	
8 to 10 ft	.00	
ROBINIA hispida (Rose-acacia). Strong grow		
shrub. Rose-colored flowers in June. Develops i a mass. 5 to 6 ft.	nto	
	.50	
	.00	
4 to 5 ft 1.25 —		
5 to 6 ft 1.50 —	—	
SAMBUCUS canadensis aurea (Golden American der). Bright golden foliage. 10 to 12 ft.	El-	
2 to 3 ft	.00	
	.00	
	.00	
5 to 6 ft 1.25 —	_	
SPIRAEA arguta (Garland Spirea). Small, feathery light green leaves. Arching branches covered with		
fine white flowers in May. 5 to 6 ft. 2 to 3 ft		
2 to 3 ft		

SPIRAEA—Continued

Si IKALA—Continued		
	Each I	Per 10
S. bumalda, Anthony Waterer (Waterer	Caina)	D
rose pink flowers all Summer.	Spirea).	Deep
-		
1½ to 2 ft	.50	4.00
2 to 2½ ft	.60	5.00
2½ to 3 ft	.75	6.50
S. fortunei (Fortune Spirea). Pink-flor shrub. 3 ft.	wering, vi	gorous
1½ to 2 ft	E 0	
2 to 2½ ft		
2 to 2 ½ ft		
272 to 3 It	./)	
S. japonica ovalifolia (White Japanese dant white flowers in June-July. 3	ft.	Abun-
1½ to 2 ft		4.00
2 to 2½ ft	.60	5.50
2½ to 3 ft		
3 to 4 ft	.80	
S. nipponica rotundifolia (Big Nippon	Spirea).	Dark
green round leaves; white flowers 9 ft.	•	
2 to 3 ft		4.50
3 to 4 ft		5.50
4 to 5 ft	.75	6.50
S. prunifolia plena (Double Bridal- green foliage. Flowers white. May 2 to 3 ft	7. 7 to 8	Dark ft.
3 to 4 ft	.60	5.40
4 to 5 ft		7.70
S. reevesiana (Reeves Spirea). Gracefu Pure white, double flowers. May-J	l arching	shrub.
Pure white, double flowers. May-J	une. 7 to	8 ft.
2 to 3 ft	.50	4.50
3 to 4 ft	.60	5.50
4 to 5 ft	.75	
S. thunbergi (Thunberg Spirea). Smal green leaves. Arching branches cl- white flowers. 4 to 5 ft. 2 to 3 ft	l feathery othed with	, light pure
2 to 3 ft	.75	
S tomontosa (Hardhada) Posa-pink	Acres	
September. Good in low ground. 2 to 3 ft	2 to 4 ft.	3.00
3 to 4 ft	.50	4.00
4 to 5 ft	.60	5.50
S. vanhouttei (Vanhoutte Spirea). Grahabit. Profusion of white flowers.	aceful, dro May-June	ooping . 8 to
2 to 3 ft	.35	3.00
3 to 4 ft.		4.50
4 to 5 ft		6.75
5 to 6 ft		
STEPHANANDRA flexuosa (Cutleaf Compact, graceful, drooping brand foliage. 5 to 6 ft. 2 to 3 ft.	Stephana ches. Ex	ndra). cellent
foliage. 5 to 6 ft.		
2 to 3 ft	.60	5.00
3 to 4 ft	.75	

SYRINGA—Continued

	Each	Per 10
S. Charles the Tenth. Single, reddish, 1		
2 to 3 ft	1.00	9.00
3 to 4 ft	1.50	14.00
4 to 5 ft 5 to 6 ft	2.00 3.00	
S. Claude Bernard. Semi-double, bright 2 to 3 ft	mauve. 1.75	16.00
3 to 4 ft	2.25	16.00 21.00
4 to 5 ft	3.00	27.00
5 to 6 ft	4.00	36.00
S. Emondi		
2 to 3 ft	.80	7.50
3 to 4 ft	1.25	11.50
4 to 5 ft	1.75	
S. Hugo Koster. Single lilac, reddish ting	ge.	
18 to 24 in	1.00	9.00
2 to 3 ft	1.50	14.00
S. Ludwig Spaeth. Single, dark purple.		
2 to 3 ft.	1.00	9.00
3 to 4 ft 4 to 5 ft	1.50 2.00	14.00
5 to 6 ft	3.00	
S. Marechal Lannei. Semi-double, bluish		
2 to 3 ft	3.25	
3 to 4 ft	4.50	
4 to 5 ft	5.50	
S. Marie Legraye. Single white. 2 to 3 ft	1.00	9.00
3 to 4 ft	1.50	
4 to 5 ft	2.00	
S. Miss Ellen Wilmot. Double snow-whit		
2 to 3 ft	3.25	30.00
3 to 4 ft	4.50	
S. Mme. Lemoine. Double white.	1 05	11.00
2 to 3 ft	1.25	11.00
3 to 4 ft 4 to 5 ft	1.75 2.00	16.00
S. Montaigne. Double pinkish-mauve.	2.00	
3 to 4 ft	4.50	
4 to 5 ft	5.50	
5 to 6 ft	6.50	
S. President Fallieres. Double pale lave	nder.	
2 to 3 ft	3.25	30.00
3 to 4 ft	4.50	
4 to 5 ft	5.50	
S. President Grevy. Large double blue.		
2 to 3 ft	1.00	9.00
3 to 4 ft 4 to 5 ft	1.50 2.50	14.00
5 to 6 ft	3.50	
TAMARIX africana (African Tamar	ix). F	eatherv.
light green foliage. Pink flowers.	May.	Thrives
near seashore. 12 to 15 ft.		
2 to 3 ft	.50	4.50
3 to 4 ft.	.60	5.00
4 to 5 ft 5 to 6 ft	.75 1.00	6.75 9.00
5 to 6 ft	1.25	11.30
V 10 0 11	1.27	11.50

	Each	
VACCINUM corymbosum (Highbush Bl	ueberry)	. Shrub
of good habit, to 5 or 6 ft. Attract	tive, whi	te, bell-
shaped flowers and edible fruit.		
18 to 24 in	1.00	9.00
2 to 3 ft		14.00
3 to 4 ft	2.00	17.50
4 to 5 ft	3.00	
5 to 6 ft	5.00	
6 to 8 ft., specimens	6.00	
VIBURNUM carlesi (Fragrant Viburnu	m). Sy	mmetri-
cal spreading shrub; very fragrant flowers. May. 4 to 5 ft.	; pinkis	n white
11/2 to 2 ft	2.50	22.50
2 to 2½ ft	3.00	27.00
2½ to 3 ft	4.00	36.00
3 to 4 ft	6.00	
V. dentatum (Arrowwood). Large, syn	ımetrıça	l shrub,
white flowers. Thrives in moist	ground.	June.
10 to 12 ft. 2 to 3 ft.	F 0	4.50
		4.50
3 to 4 ft	.75 1.00	6.50
		9.00
	2.00 6.00	18.00
, 1		
V. opulus (European Cranberrybush). Scarlet fruit in Midsummer. 8 to 9	ft.	t shrub.
2 to 3 ft	.60	5.40
3 to 4 ft		7.00
4 to 5 ft	1.00	
V. opulus nanum (Dwarf Viburnum). rarely flowers. Useful as edging shr	Verv c	ompact:
rarely flowers. Useful as edging shr	ub. 11/2	to 2 ft.
*10 to 12 in	.60	
*12 to 15 in	.80	7.00
*15 to 18 in	1.00	9.00
*18 to 21 in	1.25	11.00
*21 to 24 in	1.75	
V. opulus sterilis (Common Snowball).	D	
heads of snow-white flowers. May o	Periecti	o io fe
2 to 3 ft		5.40
3 to 4 ft		6.75
4 to 5 ft		9.00
V. tomentosum (Doublefield Viburnum shrub; good foliage; flat heads o). Sym	metrical
shrub; good foliage; flat heads o	f white	flowers.
June. 7 to 8 ft. 2 to 3 ft		
2 to 3 ft	.75	6.50
3 to 4 ft	1.00	
V. tomentosum plicatum (Japanese Sno	whall)	Doubla
white flowers; handsome purple A June. 7 to 8 ft.	Autumn	foliage.
2 to 3 ft	.90	
3 to 4 ft		
4 to 5 ft		
		0
WEIGELA, Abel Carriere (Carriere V colored; blooms in June. 7 to 8 f 3 to 4 ft	Veigela) t.	
3 to 4 ft	.75	6.00
4 to 5 ft	1.00	9.00
5 to 6 ft.	1.25	

WEIGELA-Continued

WEIGELA—Continued		
	Each	Per 10
W. amabilis (Rose Weigela). Light pi June. 7 to 8 ft. 2 to 3 ft.	ink, blo	ssoms in
june. / to o rt.	.50	4 50
3 to 4 ft	.75	6.50
	1 00	0.00
4 to 5 ft	1.25	11.50
W. candida (Snow Weigela). Lari		e white
flowers. June. 7 to 8 ft.		
2 to 3 ft	.50	
3 to 4 ft	.75	
4 to 5 ft 5 to 6 ft		9.00
) to 0 it	1.25	<u> </u>
W. Eva Rathke (Red-flowering Weig flowers all Summer. 4 to 5 ft.	ela).	Carmine
2 to 3 ft	.75	6.00
3 to 4 ft	1.00	
4 to 5 ft		
W. nana variegata (Dwarf Variegated		
compact shrub. Leaves attractively	variegat	d nale
pink flowers. June. 7 to 8 ft.	8	, р,
pink flowers. June. 7 to 8 ft. 2 to 3 ft	.75	6.00
3 to 4 ft	1.00	9.00
W. rosea (Pink Weigela). Abundant pin 7 to 8 ft.		rs. June.
2 to 3 ft		4.50
3 to 4 ft	.75	6.50
4 to 5 ft	1.00	9 .00
5 to 6 ft		. —
ZANTHORHIZA apiifolia (Yellowroot). Groui	nd cover
suitable for sandy soil.	.35	3.00
15 to 18 in	.40	
17 10 10 111		2120
Samoon and Rounday	D1	omto
Screen and Boundar	угі	ашіѕ
BERBERIS thunbergi (Japanese Barberr		
plant or for masses; scarlet berrie	s and	brilliant
Autumn coloring 4 to 5 ft		
*12 to 15 in	1.80	15.00
*15 to 18 in	2.00	16.50
*18 to 24 in	2.50	20.00
*24 to 30 in	4.00	
LIGUSTRUM ovalifolium (California	Privet)	Stiff,
upright shrub; universally used for	hedges.	10 to
15 ft. 1½ to 2 ft	1.00	6.00
2 to 3 ft	1.30	8.00
2 to 3 ft., extra heavy	1.50	
3 to 4 ft	1.80	12.00
3 to 4 ft., extra heavy	2.50	18.00
ROSA rugosa (Rugosa Rose). Attractiv	e shrub	having
rich green foliage. Large, single flowers. June-September. Large re	pink o	r white
flowers. June-September. Large re	d fruit	in Fall.
Useful in shrub border or as hedge.	4 to 5	ft.
1½ to 2 ftEach .50	4.50	33.00
1½ to 2 ft. Each .50 2 to 3 ft. Each .60 3 to 4 ft. Each .75	5.00	40.00
) to 4 ftEach ./)	0.70	77.00

Roses HYBRID PERPETUALS

Sturdy, two year, pot grown plants, \$1.00 each or \$8.50 per 10.

- *Frau Karl Druschki. Pinkish buds and magnificent snow-white blooms. Not fragrant.
- *General Jacqueminot. Scarlet crimson buds and clear red flowers. Deeply fragrant.
- *Mrs. John Laing. Large; cup-shaped blooms of clear pink. Sweetly fragrant.

HYBRID TEAS AND TEAS

- Sturdy, two year, pot grown plants, \$1.00 each or \$8.50 per 10.
- *Betty Uprichard. A spectacular double-colored rose of vivid coral and silky flesh-pink.
- *Charles K. Douglas. Crimson-scarlet, long pointed buds. Slightly fragrant.
- *Duchess of Wellington. Large buds of golden-orange, opening to saffron-colored sweetly fragrant blooms.
- *Etoile De Hollande. Brilliant red flowers of magnifi-cent size. Very fragrant.
- *General Mac Crimson-scarlet buds and Arthur. blooms. Very fragrant.
- *General-Superior Arnold Janssen. Light crimson, Fragrant, and long lasting blooms.
 *George C. Waud. A unique shade of light red, double
- Slightly fragrant. blooms.
- *Hadley. Rich crimson red flower. Fragrant.
- *Kaiserin Auguste Viktoria. A great favorite. Large double blooms and very fragrant.
- *Lady Alice Stanley. Large buds and blooms of coralrose and pale pink; sweetly fragrant.
- *Lady Margaret Stewart. Golden yellow shaded and streaked with orange and red. Not very fragrant.
- *Mme. Butterfly. Light pink buds and flowers. Richly perfumed.
- *Mme. Caroline Testout. Large rounded flowers of bright satiny-rose. Fairly fragrant.
- *Mrs. Edouard Herriot. Coral red buds opening to bright rosy-scarlet.
- *Mrs. Aaron Ward. Semi-double, cup-shaped, deep yellow flowers, fragrant; blooms until frost.
- *Mrs. A. R. Barraclough. Enormous pure pink flowers, shaded with clear yellow at base of petals. Unusually fragrant.
- *Mrs. Erskine Pembroke Thom. Slender yellow buds and large bright canary yellow blooms.
- *Mrs. Wakefield Christie-Miller. Clear rose to light pink, peony-like petals and sweet perfume.
- *Ophelia. Creamy white and pale pink blooms; very fragrant.

ROSES—Continued

- *Radiance. Large, light silvery pink to salmon-pink flowers on long stem.
- *Red Radiance. Big globular flowers of deep rose red.
- *Rev. F. Page-Roberts. Copper red buds opening to golden yellow and red blooms.
- isman. Brilliant red and gold buds opening to scarlet-orange and yellow blooms.
- *Ville De Paris. Round buds of clear yellow, opening to same untouched hue.

HYBRID RUGOSA ROSES

- Study, two year, pot grown plants, \$1.00 each or \$8.50 per 10.
- *Blanche Ddl. de Coubert. Large, pure white blooms. *Conrad F. Meyer. Large well formed silvery pink blooms.
- *F. J. Grootendorst. Bright crimson flowers. Blooms from early summer to frost.
- *Pink Grootendorst. Clusters of small, fringed, clear shell-pink flowers. Blooms throughout season.

CLIMBING ROSES

- Sturdy, two year, pot grown plants, \$1.00 each or \$8.50 per 10.
- *Christine Wright. Very large, semi-double flowers of a beautiful wild-rose pink.
- *Climbing American Beauty. Moderately fragrant rich carmine flowers.
- Bright coral buds and large orange-salmon flowers borne singly on stiff caned plants.
- *Dorothy Perkins. Clear cherry-pink, slightly fragrant flowers, borne in great profusion.
- *Dr. W. Van Fleet. Perfectly formed, long-pointed deep pink buds, opening to lighter shade of pink.
- *Gardenia. Lovely golden yellow buds that open to almost white when fully expanded.
- *Jacotte. Semi-double flowers of orange-yellow, tinted copper-red and borne in clusters.
- *Mary Wallace. Semi-double rose pink blooms; salmon color at base of petals.
- *Pauls Scarlet Climber. The brightest and purest red of all the pillar Roses. Vivid scarlet, shaded crimson semi-double flowers in clusters.
- *Silver Moon. Large semi-double white and creamy flowers that are borne in great profusion.
 *Star of Persia. Semi-double bright yellow flowers.

MISCELLANEOUS ROSES

Sturdy, two year, pot grown plants, \$1.00 each or \$8.50 per 10.

- *Baby Ramblers (Polyantha Roses). Assorted colors of white, pink and red. Ideal for bedding purposes.
- *Rosa Hugonis. Light yellow flowers, borne profusely very early in the season.
- *Rosa setigera (Prairie Rose). Deep rose fading to white, almost scentless flowers.
- *Rosa Wichuraiana (Memorial Rose). Beautiful, fragrant, pure white flowers, borne in great profusion.

Rose orders should be placed early in the season for best results.

VINES AND CLIMBERS

Each Per 10
AKEBIA quinata (Fiveleaf Akebia). Dainty vine with dark green leaf, persisting all Winter. Purple flowers in May. 15 to 20 ft.
Medium plants
AMPELOPSIS quinquefolia (Virginia Creeper). Foliage takes on strikingly brilliant reds in Autumn. 30 to 40 ft.
Medium plants .35 3.00 Strong plants .50 4.00 Extra strong plants .75 6.00
A. tricuspidata veitchi (Japanese Creeper). Self-clinging vine; brilliant Autumn foliage. Blue berries. Strong plants
ARISTOLOCHIA sipho (Dutchmanspipe). Tall, twining vine. Large leaves; purplish flowers. June. 20 fr.
Medium plants
BIGNONIA grandiflora (Chinese Trumpetcreeper). Good foliage; deep scarlet flowers. July. 20 to 25 ft.
Strong plants
CLEMATIS henryi (Winter Clematis). Large-flowering white clematis. August. 18 to 20 ft.
Strong plants 1.00
C. jackmani (Jackman Clematis). Large-flowering purple Clematis. August. 18 to 20 ft.
Strong plants 1.00 9.50
C. paniculata (Sweet Autumn Clematis). Fragrant white flowers. September. 20 to 25 ft. Strong plants
EUONYMUS. (See Evergreen Shrubs).

HEDERA. (See Evergreen Shrubs).

Each Per 10
LONICERA japonica halliana (Hall Japanese Honey-
suckle). Quick-growing vine; fragrant white
flowers. June. 15 to 20 ft.
Strong plants
Extra strong plants
L. sempervirens (Trumpet Honeysuckle). Quick-growing vine, bright scarlet flowers. July-September. 15 to 20 ft.
Strong plants
Extra strong plants
PERIPLOCA graeca (Silkvine). Dark green, glossy leaves, brownish purple flowers. July. 20 to 30 ft.
Medium plants
Strong plants
WISTERIA sinensis (Chinese Wisteria). Hardy
climber, clusters of large violet-blue flowers. May.
Strong plants
Extra strong plants 1.50 14.00
W. sinensis alba (White Chinese Wisteria). Same as preceding, except flowers which are white.
Strong plants 1.00 7.50
Extra strong plants 1.50 12.50

PERENNIALS

It is no wonder that these grand, old-fashioned hardy garden flowers continue to increase in popularity. There is not a time during the whole flower season in which some hardy perennial is not in bloom.

Five plants of one variety given at 10 rate, and 25

plants of one variety given at 10 rate, and 25 plants of one variety given at 100 rate when 10 and 100 rates are mentioned. Large clumps, 35c. up.
Per 3 10 100
ACHILLEA ptarmica. Boule de Neige (Sneezewort). White flowers. June-September. 18 in75 2.20 15.00
AMSONIA tabernaemontana (Willow Amsonia). Panicles of small, light blue flowers. May. 2 to 3 ft90 2.40 18.00
ASTILBE japonica (Japanese Astible). Plumes of white flowers. June-July. 2½ ft. 1.00 2.70 20.00
A. Queen Alexander. Plumes of pink flowers. July. 2 ft. 1.20 3.50 24.00
COREOPSIS grandiflora (Big Coreopsis). Yellow. June-October. 2 to 3 ft75 2.20 15.00
HELIANTHUS decapetalus (Thinleaf Sunflower). Yellow. June-July. 4 ft75 2.20 15.00
HIBISCUS moscheutos (Common Rose-Mallow Pink). August. 3 ft90 2.40 18.00
HOSTA caerulea (BluePlaintainlily). Lavender flowers. July. 18 in90 2.40 18.00
H. undulata variegata (Variegated Leaf Plaintainlily). Blue. August. 18 in90 2.40 18.00

PERENNIALS-Continued

2 21.22 11.22 901.	ucu	- Fach	Per 10		
IRIS germanica (German Iris). Mi	xed col	ors. I	May. 2		
to 3 ft	75	2 40	15 00		
I. kaempferi (Japanese Iris). Blue to 4 ft.	and wh	ite. J 240	une. 3		
I. sibirica (Siberian Iris). Blue. M	Iav. 2	to 3 f	t.		
,	.7́5	2.40	15.00		
DAFONIA					
PAEONIA					
Edulis Superba. Clear deep pink; early			2.25		
Festiva Maxima. White center, crit Blooms early			2.25		
Louis Van Houtte. Bright red Blooms late	to cri	mson.	2.70		
Marie Lemoine. Large late bloom. petals lightly edged with pink			2.70		
Mme. Chaumy. Clear pink, very good shape. Late	full a	nd of	2.70		
Rosea plena superba. Delicate pink	and s	almon			
PHIOY					
PHLOX Large clumps \$.50 each; \$4	1.00 pe	r 10.			
Large clumps \$.50 each; \$4	1.00 per er 3	r 10. 10	100		
Large clumps \$.50 each; \$4			100		
Large clumps \$.50 each; \$4 P Beacon. Red	er 3	10	100		
Large clumps \$.50 each; \$4	er 3 .90	10 2.40	100		
Large clumps \$.50 each; \$2 P Beacon. Red Boule de Feu. Cherry-red	er 3 .90 .90	10 2.40 2.40	100 15.00		
Beacon. Red Boule de Feu. Cherry-red Mrs. Jenkins. Pure white Pink Beauty. Pale pink Prof. Virchow. Bright crimson	.90 .90 .90 .90	10 2.40 2.40 2.40 2.20			
Large clumps \$.50 each; \$4 P Beacon. Red Boule de Feu. Cherry-red Mrs. Jenkins. Pure white Pink Beauty. Pale pink Prof. Virchow. Bright crimson overlaid with orange scarlet	.90 .90 .90 .90 .75	10 2.40 2.40 2.40 2.20 2.40	15.00		
Large clumps \$.50 each; \$4 P Beacon. Red Boule de Feu. Cherry-red Mrs. Jenkins. Pure white Pink Beauty. Pale pink Prof. Virchow. Bright crimson overlaid with orange scarlet Queen. Pure white	.90 .90 .90 .90	10 2.40 2.40 2.40 2.20			
Large clumps \$.50 each; \$4 P Beacon. Red Boule de Feu. Cherry-red Mrs. Jenkins. Pure white Pink Beauty. Pale pink Prof. Virchow. Bright crimson overlaid with orange scarlet Queen. Pure white Rijnstrom. Very large rose pink	.90 .90 .90 .75 .90	10 2.40 2.40 2.40 2.20 2.40 2.40	15.00		
Large clumps \$.50 each; \$4 P Beacon. Red Boule de Feu. Cherry-red Mrs. Jenkins. Pure white Pink Beauty. Pale pink Prof. Virchow. Bright crimson overlaid with orange scarlet Queen. Pure white Rijnstrom. Very large rose pink bloom	.90 .90 .90 .75 .90	10 2.40 2.40 2.40 2.20 2.40 2.40 2.40	15.00		
Large clumps \$.50 each; \$4 P Beacon. Red Boule de Feu. Cherry-red Mrs. Jenkins. Pure white Pink Beauty. Pale pink Prof. Virchow. Bright crimson overlaid with orange scarlet Queen. Pure white Rijnstrom. Very large rose pink bloom Riverton Jewel. Pink	.90 .90 .90 .75 .90	10 2.40 2.40 2.40 2.20 2.40 2.40	15.00		
Large clumps \$.50 each; \$4 P Beacon. Red Boule de Feu. Cherry-red Mrs. Jenkins. Pure white Pink Beauty. Pale pink Prof. Virchow. Bright crimson overlaid with orange scarlet Queen. Pure white Rijnstrom. Very large rose pink bloom Riverton Jewel. Pink R. P. Struthers. Cherry red RUDBECKIA laciniata (Golden-	er 3 .90 .90 .90 .75 .90 .90	10 2.40 2.40 2.40 2.20 2.40 2.40 2.40 2.4	15.00		
Large clumps \$.50 each; \$4 P Beacon. Red Boule de Feu. Cherry-red Mrs. Jenkins. Pure white Pink Beauty. Pale pink Prof. Virchow. Bright crimson overlaid with orange scarlet Queen. Pure white Rijnstrom. Very large rose pink bloom Riverton Jewel. Pink R. P. Struthers. Cherry red RUDBECKIA laciniata (Golden- glow). Yellow. August. 4	er 3 .90 .90 .90 .75 .90 .90	10 2.40 2.40 2.40 2.20 2.40 2.40 2.40 2.4	15.00		
Large clumps \$.50 each; \$4 P Beacon. Red Boule de Feu. Cherry-red Mrs. Jenkins. Pure white Pink Beauty. Pale pink Prof. Virchow. Bright crimson overlaid with orange scarlet Queen. Pure white Rijnstrom. Very large rose pink bloom Riverton Jewel. Pink R. P. Struthers. Cherry red RUDBECKIA laciniata (Golden- glow). Yellow. August. 4 to 5 ft. ORNAMENTAL GRASS (Eulalia)	er 3 .90 .90 .90 .75 .90 .90 .90 .90 .90 .90	2.40 2.40 2.40 2.20 2.40 2.40 2.40 2.40	15.00		
Large clumps \$.50 each; \$4 P Beacon. Red Boule de Feu. Cherry-red Mrs. Jenkins. Pure white Pink Beauty. Pale pink Prof. Virchow. Bright crimson overlaid with orange scarlet Queen. Pure white Rijnstrom. Very large rose pink bloom Riverton Jewel. Pink R. P. Struthers. Cherry red RUDBECKIA laciniata (Golden- glow). Yellow. August. 4 to 5 ft.	er 3 .90 .90 .90 .75 .90 .90 .90 .90 .90 .90	2.40 2.40 2.40 2.20 2.40 2.40 2.40 2.40	15.00		

FRUIT DEPARTMENT

STANDARD APPLES

		Each
4 to 5 ft.	high	\$1.00
5 to 7 ft.	high	1.50
6 to 8 ft.	high	2.00
7 to 9 ft.	high\$2.50	to 5.00

SUMMER VARIETIES

Early Harvest. Very early, pale yellow; fine flavor and productive.

Yellow Transparent. Large, pale yellow; flesh white, tender and sweet.

Red Astrachan. Earliest. A large red, striped table Apple of high quality.

AUTUMN VARIETIES

Fall Pippin. Large yellow fruit.

Gravenstein. Very large, greenish-yellow; excellent flavor.

McIntosh. Red, extremely hardy, noted for bearing regularly.

Wealthy. Light yellow, nearly covered with red; white juicy flesh.

WINTER VARIETIES

Baldwin. Large, red highly colored, crisp and juicy.

Ben Davis. Large, yellow, covered with red.

Bellflower. Very large, pale lemon yellow. Flesh tender, juicy and crisp.

Delicious. Large; brilliant dark red Apple; flesh white, tender and juicy. Surpasses all others in flavor.

Grimes Golden. Yellow. A hardy tree that bears annually.

Jonathan. Medium size; red; good quality. Heavy bearer.

King. Large, red, juicy, abundant annual bearer.

Newtown Pippin. Large, yellow with brownish-red cheek; firm, crisp and juicy.

Northern Spy. Large, striped with red, flesh white and fine-grained.

Rhode Island Greening. Large, yellow when fully ripe, tender and juicy.

Rome Beauty. Large, yellow, striped with red, flesh yellow and rather coarse grained.

Roxbury Russet. A standard Winter Apple, flesh greenish-white and crisp. Keeps late.

Spitzenburg. Large, light red, flesh yellow, crisp and richly flavored.

Stayman's Winesap. Of only fair size, but fine quality, bright red with yellow, juicy flesh.

Tolman Sweet. Pale yellow, tinged with red; medium size, rich and sweet.

Wagener. Yellow, highly colored with red; tender, juicy and bears early.

Winter Banana. Golden yellow, usually shaded crimson, flesh fine grained with a very rich flavor.

- Wolf River. Greenish-yellow, shaded crimson, juicy, slightly acid.
- York Imperial. Medium, whitish, shaded with red, very good quality.

DWARF VARIETIES

					Each	Per 10
4	to	5	ft.	high	\$1.00	
5	to	6	ft.	high	1.50	
6	to	7	ft.	high\$2.00 to	\$5.00	

Gravenstein. Very large, greenish-yellow, crisp Apple. McIntosh. Beautiful rich red, delicious; medium sized.

Red Astrachan. Very early, large, red striped Apple of high quality.

Yellow Transparent. Large, pale yellow, flesh white, tender and juicy.

CRAB APPLES

					Each	Per 10
4	to	5	ft.	high	\$1.00	
5	to	6	ft.	high	1.25	\$11.50
				high		
7	to	9	ft.	high\$2.50 to	5.00	
slop. Large size, dark crimson and very showy.						

Hyslop. Large size, dark crimson and very showy. Transcendant. Red, showy and excellent.

STANDARD PEARS

					Each	Per 10
4	to	5	ft.	high	\$1.25	
5	to	6	ft.	high	1.50	\$14.00
6	to	7	ft.	high	1.75	16.50
				high		21.50
8	to	9	ft.	high\$3.00 to	5.00	

SUMMER VARIETIES

Bartlett. Large, yellow, with red cheek; flesh rich and juicy.

Clapp (Clapp's Favorite). Large long, light yellow, with red cheek. Very juicy and rich.

AUTUMN VARIETIES

Duchess d'Angouleme. Very large, greenish-yellow; russet spots, juicy and fine.

Flemish Beauty. Large, pale yellow, mostly russeted. Flesh very juicy and sweet.

Kieffer. Large, yellow and red cheeked. Grain is coarse and is best for canning and preserving.

Lawrence. Medium size, fine golden yellow; sugary and aromatic.

Seckel. Medium to small; yellowish brown with red cheek; very rich and delicious.

Sheldon. Large; russet with red cheek; juicy and delicious.

DWARF PEARS

6 to 7 ft. high \$3.00 to \$5.00 Each

Bartlett. Large, yellow with red cheek; flesh rich and juicy.

Clapp (Clapp's Favorite). Large, yellowish-green with dark red cheek.

Seckel. Medium to small, yellowish-brown with red cheek, very rich and delicious.

CHERRIES

					Each	Per 10
5	to	7	ft.	high	\$1.50	\$14.00
6	to	7	ft.	high	2.00	19.00
6	to	8	ft.	high	2.50	24.00
6	to	8	ft.	high\$3.00 to	5.00	

SWEET VARIETIES

Black Tartarian. Large, bright purplish-black; flesh purplish, rich and delicious.

Governor Wood. Large, light yellow and red, juicy and sweet.

Schmidt's Bigareau. Black. Very meaty, mild and sweet. Windsor. Fruit large, liver-colored. Flesh firm and of fine quality.

Yellow Spanish. Large, pale yellow with red cheek; flesh firm and juicy.

SOUR VARIETIES

Early Richmond. Medium size, dark red, juicy, rich acid flavor.

Montmorency. Large for a sour Cherry, dark red, popular for canning.

QUINCES

				Each	Per 10
3	to	4	ft	\$1.50	\$14.00
4	to	5	ft	1.75	16.50
5	to	6	ft	2.00	19.00

Champion. Ripens late and bears regularly; excellent quality.

Orange. Large and fine, always bears an abundance of fruit.

PLUMS

		Each	Per 10
5 to 6 ft.	high	\$1.50	\$14.00
6 to 7 ft. 1	high	2.00	19.00
6 to 8 ft. 1	high	2.50	24.00
7 to 8 ft. 1	high\$3.00 to	5.00	

Green Gage. Round, greenish-yellow; rich and excellent. Lombard. Medium size, dark red with yellow, juicy flesh.

PEACHES

					Each	Per 10
3	to	5	ft		\$0.75	\$6.00
				high		9.00
6	to	7	ft.	high	1.50	14.00

SUMMER VARIETIES

- Belle of Georgia. Very large, white with red cheek, flesh white, firm and of fine flavor. Freestone.
- Champion. Skin creamy white with red cheek. A perfect freestone.
- Crawford's Early. Very large, yellow with red cheek; rich and excellent.
- J. H. Hale. Very large, deep golden yellow, overlaid with bright carmine; flesh firm and of delicious flavor. Freestone.
- Mountain Rose. Large, red, flesh white, ripens early. First quality and freestone.

AUTUMN VARIETIES

- Crawford's Late. Very large, yellow with dark red cheek; flesh deep yellow, red at the stone; juicy and excellent flavor.
- Stump the World. Very large, creamy white with bright red cheek; flesh white, juicy and high flavored.

SMALL FRUITS

BLACKBERRIES

Each Per 10 \$0.15 \$1.20 Strong plants..... Blower. Large size, jet black, excellent quality.

Iceberg. The white Blackberry. Berries are sweet and with very few seeds.

Rathburn. A hardy, erect growing, but rather dwarf plant. Fruit very large, juicy, sweet and high flavored.

CURRANTS

	Each	Per 10	1
Strong plants	\$0.35	\$3.00	
Extra strong plants	.50	4.50	
erry. The largest of all red Cur	rants:	berries	dee

ry. The largest red, quite acid. of all red Currants; berries deep

Fay's Prolific. Stem long, berry large; red, good quality. Red Cross. Bunch and berry large, excellent quality.

White Grape. Long, loose bunches of medium-sized white berries; excellent quality, mild and sweet.

RASPBERRIES

	Each	Per 10	
Strong plants	\$0.15	\$1.20	
Cumberland. Large black fruit.			
Cuthbert. Fruit is large, firm of tex	ture, a	ınd of e	xcel-
lant quality			

St. Regis. Bright red berries of good size and flavor; the best of the "everbearing" Raspberries.

GRAPES

	Each	Per 10
Medium plants	\$0.50	\$4.00
Strong plants		
Extra strong	1.00	8.00

BLACK VARIETIES

- Campbell's Early. A new, very large and early Grape, black, and sweet; strong, hardy vine; clusters unusually large and compact.
- Concord. The most popular black Grape; juicy, sweet, fine flavor.
- Worden. Big, compact bunches of extra large, thinskinned berries; very productive.

RED VARIETIES

- Catawba. Bunches medium; berries large, somewhat pulpy, juicy, aromatic and rich.
- Vergennes. New variety, berry red, sweet, juicy, delicious flavor.

WHITE VARIETIES

Each Per 10

Each Per 10

Strong plants	\$0.75	\$6.00
Extra strong plants	1.00	8.00
Desmond. Sweet, juicy and delicious.		
Diamond. Bunch and berry large, ex	tra fine	quality.
Green Mountain. Skin thin; pulp ver	y tender	and sweet.

STRAWBERRIES

I	Per	100
Early	\$3	.00
Midseason	3.	.00
Late	3	.00
Everbearing	4	.00

GOOSEBERRIES American Varieties

Medium plants	\$0.35	\$3.00
Strong plants	.50	4.50
Downing. Fruit greenish white, large	, soft	and juicy.
Houghton. Medium-sized, pale red,	sweet a	and juicy.

NUT TREES		
	Each	Per 10
CORYLUS maxima (Giant Filbert). Stro ing to a height of 5 ft.; abundant fr		
3 to 4 ft	1.75	
4 to 5 ft	2.25	
5 to 6 ft	2.75	

NUT TREES-Continued

Each Per 10

	(Butternut). The large, elong-	
	sweet and of delicate flavor;	very
nutritious; tree	es are hardy and full-bearing.	

6	to	8	ft	2.00	
8	to	10	ft	2.50	
10	to	12	ft	3.50	

J. nigra (Black Walnut). Relatively fast-growing; a fine specimen bearing especially tasty nuts.

5	to	6	ft	1.75	
6	to	8	ft	2.00	
8	to	10	ft	2.50	
10	to	12	ft	3.50	

J. sieboldiana (Japanese Walnut). Hardier than the English Walnut; nuts equally delicious. Grows quite rapidly into a broad, spreading specimen.

7	to	8	ft					3.00	
8	to	10	ft					4.00	
10	to	12	ft.,	2 to	$2\frac{1}{2}$	in.	cal	5.00	
12	to	14	ft.,	21/2	to 3	in.	cal	6.00	

ASPARAGUS

1	Per	100
Strong plants	\$2.	.25
Extra strong plants	3.	.00

Conover's Colossal. Of large size, rapid growth, and excellent quality. Green.

Palmetto. A very popular variety of best quality. White.

RHUBARB

	Each	Per 10
Small plants	\$0.25	\$2.00
Medium plants	.35	3.00
Strong plants	.50	4.50

CALENDAR FOR SPRAYING FRUIT TREES

For general results, we recommend spraying fruit trees as follows:

First, spray with lime sulphur solution during the Winter.

Second, spray with Pyrox after the blossoms fall. Third, spray with Pyrox two weeks later.

This will control the most prevalent insects and fungous diseases attacking fruit trees on Long Island.

Plant fruit trees about your home grounds—for shade or ornament and for fruits for the table.

INDEX

to a	p	926		Е	ach
Abelia		. 37	Hibiscus Holly Honeysuckle Hoptree	_42	, 56
Anies		4	Holly	22,	43
Acanthopanax	26	. 27	Hontree	44,	, 5€ . 34
Achillea		. 56	Horsechestnut		. Z7
			Horsechestnut		. 56
Ailanthus Akebia Alnus Amelanchier Ampelopsis		. 27 55	Hosta Hydrangea Ilex Iris Juglans Juniperus 9, Kalmia Koelreuteria Kolkwitzia Laburnum Larch	22	. 42
Alnus		. 28	Iris	4 2,	57
Amelanchier		. 37	Juglans		. 63
Amelanchier Ampelopsis Amsonia Amygdalus Apples Aralia Arborvitae 17, Aristolochia Aronia Ash Asparagus Aslibe Azalea 21, Barberry Beech Berberis 21, Betula Bignonia Birch Blackberries Boxwood Buddleia Buxus Calycanthus		. 55	Juniperus9,	10,	, 11
Amvødalus	2.8	. 96 37	Kaimia		. 23
Apples	58	59	Kolkwitzia		43
Aralia		. 28	Laburnum		. 43
Arborvitae17,	18,	, 19	Larch		. 31
Aronia		. 37	Laburnum Larch Larix Leiophyllum Lespedeza Leucothoe Ligustrum 43, Lilac Linden Liguidambar		23
Ash		. 35	Lespedeza		43
Asparagus		. 63	Leucothoe		. 23
ASUIDE	38	. 56 30	Ligustrum43,	44,	52
Barberry	.21.	39	Linden	35.	36
Beech		30			
Berberis21,	39,	52	LiriodendronLocust		31
Betula		. 28	Locust	4 1	34 56
Birch		28	Lonicera Lycium	,	44
Blackberries		61			
Boxwood		21	Maionia Malus Maple 25, Mockorange Morus Myrica Nut Troop		32
Buguleia	21	29	Manla 25	26	32
Calycanthus		39	Mockorange	20,	46
Calycanthus Carpinus Catalpa		28	Morus		32
Catalpa	A	29	Myrica	.44,	45
Cedrus	4, 4	5 5	Nut TreesOak		45 63 34
Cedar Cedrus Cercis Chamaecyparis5,		29	Ornamental Grasses		5.7
Chamaecyparis5, Cherry	6,	7	Pachysandra Paulownia Peaches		23
Chionanthus		34	Paulownia		32
Cherry Chionanthus Chokeberry Clethra Clematis Coreopsis Cornus Corylus Cotoneaster Crataegus Cryntomeria		37	Pears Peony	59.	60
Clethra		40	Peony		57
Clematis		55	Peony Periploca Philadelphus Phlox Physocarpus Picea Pireis Pinus Planus Plum Plum Plum Periperis Plum Plum Plum Prints Paris Plum Plum Prints Paris Paris Plum Plum Prints Paris Pa	45	56
Cornus	20	40	Phlox	.45,	46 57
Corylus	.20,	40	Physocarpus		46
Cotoneaster		22	Picea11,	12,	13
Crataegus Cryptomeria Cupressus	.29,	30	Pieris	1.4	23
Cupressus		ż	Platanus	14,	33
Currants		6 i	Plum		60
Cydonia		40	Populus		33
Cypress,	40	41	Pinus 13, Platanus Plum Populus Privet 43, Prunus 33, 34, Pseudotsuga Ptelia Pyracantha	44,	47
Dogwood	.40,	29	Pseudotsuga	10,	15
Elaeagnus		41	Ptelia		34
Elm	36,	37	Pyracantha		47
English IvyEnkianthus		41	Quercus		60
Euonymus	22,	$\hat{4}\hat{1}$	Raspberries		61
Fagus		30	Retinospora		6
Currants Cydonia Cydonia Cydonia Cypress 5, Deutzia Dogwood Elaeagnus Elm English Ivy Enkianthus Euonymus Fagus Fir Flowering Crab Forsythia Fraxinus Ginkgo Gleditsia Gooseberries	4,	15	Ptelia Pyracantha Quercus Quince Raspberries Retinospora Rhododendron Rhodotypos Rhubarb Rhus Robinia Rosa Rosse Salix Salix Sambucus		47
Forsythia		41	Rhubarb		63
Fraxinus		30	Rhus		47
Ginkgo		31	Robinia	34,	47
Gooseberries		62	Roses 53	54.	55
Grapes		62	Rudbeckia		57
Halesia		31	Salix	34,	35 47
Hamamelis	90	41	Sambucus		47
Hedera	∠IJ,	22	Snowberry		15 49
Gleditsia Gooseberries Grapes Halesia Hamamelis Hawthorn Hedera Hellanthus		56	Sorbus		35
Hemlock		20	Sambucus Sciadopitys Snowberry Sorbus Spiraea	47,	48
TT					_

INDEX—Continued

Page	Pase
Spruce11, 12, 13	Tsuga 20
Stephanandra 48	Ulmus
Strawberries 62	Vaecinium 51
Styrax 49	Viburnum
Sumac 47	Weigela 51, 52
Symphoricarpos 49	Willow 34, 35
Syringa 19, 50	Wisteria 56
Tamarix	
Taxus 15, 16	Yew 15, 16
Thuja 17, 18, 19, 20	Yueca 23
Tilia	Zanthorhiza 52



LANDSCAPE SERVICE

We maintain a trained landscape organization who will gladly assist you with any modest planting scheme, or assume complete responsibility for the development of a large estate into an interesting landscape picture of delightful charm.

Every home, whether of simple or elaborate architectural conception, requires a planned landscape setting to complete the picture. Yet how often do we see the beauty of a well-designed structure sadly depreciated by lack of adequate shrubbery or by a planting attempt that lacks unity and harmony with the style of architecture it is supposed to enhance.

Why not consult our expert landscape architect in the handling of your problem? Write for our landscape folder.

Begin With a Plan

Have a complete plan prepared for your entire property, even though you intend to develop only a portion of the grounds at a time. In this way you can carry out as much or as little of the planting as you wish each season, secure in the belief that it is properly done as a part of an entire scheme.

This is the only way to avoid disappointments in effects and the necessity of needless transplanting of trees and shrubs which is bound to result where no definite plan serves as a guide.

This service is rendered free of charge.

